
Evolutionary Parasitology

The Integrated Study of Infections,
Immunology, Ecology, and Genetics

Second Edition

Paul Schmid-Hempel

*Emeritus Professor, Institute of Integrative Biology (IBZ) and Genetic Diversity Centre,
ETH Zürich, Switzerland*

OXFORD
UNIVERSITY PRESS

Contents

| | |
|--|-----------|
| Preface | v |
| List of common acronyms | xix |
| Glossary | xxiii |
| 1 Parasites and their significance | 1 |
| 1.1 The Panama Canal | 1 |
| 1.2 Some lessons provided by yellow fever | 3 |
| 1.2.1 Parasites have different life cycles and transmission modes | 3 |
| 1.2.2 Not all host individuals, and not all parasite strains, are the same | 5 |
| 1.2.3 Physiological and molecular mechanisms underlie the infection | 5 |
| 1.2.4 Parasites and hosts are populations | 6 |
| 1.2.5 Parasites can be controlled when we understand them | 6 |
| 1.3 Parasites are not a threat of the past | 6 |
| 2 The study of evolutionary parasitology | 9 |
| 2.1 The evolutionary process | 9 |
| 2.2 Questions in evolutionary biology | 12 |
| 2.3 Selection and units that evolve | 12 |
| 2.4 Life history | 15 |
| 2.5 Studying adaptation | 16 |
| 2.5.1 Optimality | 16 |
| 2.5.2 Evolutionarily stable strategies (ESS) | 17 |
| 2.5.3 Comparative studies | 17 |
| Box 2.1 The basic evolutionary forces | 11 |
| Box 2.2 The disease space | 13 |
| 3 The diversity and natural history of parasites | 19 |
| 3.1 The ubiquity of parasites | 19 |
| 3.2 A systematic overview of parasites | 21 |
| 3.2.1 Viruses | 21 |
| 3.2.2 Prokaryotes | 22 |
| 3.2.2.1 <i>Archaea</i> | 23 |
| 3.2.2.2 <i>Bacteria</i> | 23 |
| 3.2.3 The basal eukaryotes | 24 |
| 3.2.4 Protozoa | 25 |

| | | |
|----------|---|-----------|
| 3.2.5 | Fungi | 27 |
| 3.2.6 | Nematodes (roundworms) | 28 |
| 3.2.7 | Flatworms | 29 |
| 3.2.8 | Acanthocephala | 30 |
| 3.2.9 | Annelida | 31 |
| 3.2.10 | Crustacea | 31 |
| 3.2.11 | Mites (Acari), ticks, lice (Mallophaga, Anoplura) | 33 |
| 3.2.12 | Parasitic insects (parasitoids) | 34 |
| 3.3 | The evolution of parasitism | 34 |
| 3.3.1 | Evolution of viruses | 35 |
| 3.3.2 | Evolution of parasitism in nematodes | 36 |
| 3.4 | The diversity and evolution of parasite life cycles | 37 |
| 3.4.1 | Steps in a parasite's life cycle | 37 |
| 3.4.2 | Ways of transmission | 39 |
| 3.4.3 | Complex life cycles | 40 |
| 3.4.4 | The evolution of complex parasite life cycles | 41 |
| 3.4.5 | Example: trypanosomes | 45 |
| 3.4.6 | Example: helminths | 46 |
| Box 3.1 | Types of parasites | 20 |
| 4 | The natural history of defences | 51 |
| 4.1 | The defence sequence | 51 |
| 4.1.1 | Pre-infection defences | 52 |
| 4.1.1.1 | <i>Avoidance behaviour</i> | 52 |
| 4.1.1.2 | <i>The selfish herd and group-living</i> | 52 |
| 4.1.1.3 | <i>Anticipatory defences</i> | 52 |
| 4.1.1.4 | <i>'Genetic' defences</i> | 54 |
| 4.1.2 | Post-infection defences | 54 |
| 4.1.2.1 | <i>Behavioural changes</i> | 54 |
| 4.1.2.2 | <i>Physiological responses</i> | 56 |
| 4.1.3 | Social immunity | 57 |
| 4.2 | Basic elements of the immune defence | 59 |
| 4.2.1 | Humoral defences | 60 |
| 4.2.1.1 | <i>Immunoglobulins</i> | 60 |
| 4.2.1.2 | <i>Complement</i> | 60 |
| 4.2.1.3 | <i>Other humoral components</i> | 61 |
| 4.2.2 | Cellular defences | 62 |
| 4.2.2.1 | <i>Haematopoiesis (cell development)</i> | 63 |
| 4.2.2.2 | <i>Phagocytosis</i> | 65 |
| 4.2.2.3 | <i>Melanization, encapsulation</i> | 67 |
| 4.2.2.4 | <i>Clotting, nodule formation</i> | 67 |
| 4.3 | Basic defences by the immune system | 68 |
| 4.3.1 | Inflammation | 68 |
| 4.3.2 | Innate immunity | 68 |
| 4.3.3 | Adaptive (acquired) immunity | 69 |
| 4.3.4 | Regulation of the immune response | 69 |
| 4.3.4.1 | <i>Regulation by protein-protein interactions</i> | 70 |

| | | |
|----------|---|------------|
| 4.3.4.2 | <i>Regulation by miRNAs</i> | 70 |
| 4.3.4.3 | <i>Regulation by post-translational modification</i> | 70 |
| 4.3.4.4 | <i>Negative regulation</i> | 72 |
| 4.4 | Immune defence protein families | 72 |
| 4.4.1 | The major families | 74 |
| 4.4.2 | Effectors: antimicrobial peptides | 76 |
| 4.5 | The generation of diversity in recognition | 77 |
| 4.5.1 | Polymorphism in the germline | 78 |
| 4.5.2 | Somatic generation of diversity | 78 |
| 4.5.2.1 | <i>Alternative splicing</i> | 78 |
| 4.5.2.2 | <i>Somatic DNA modification</i> | 79 |
| 4.5.2.3 | <i>Somatic (hyper-)mutation, gene conversion</i> | 81 |
| 4.5.3 | Variability and B- and T-cells | 81 |
| 4.5.3.1 | <i>B-cells</i> | 81 |
| 4.5.3.2 | <i>T-cells</i> | 84 |
| 4.6 | The diversity of immune defences | 85 |
| 4.6.1 | Defence in plants | 85 |
| 4.6.2 | Defence in invertebrates | 89 |
| 4.6.2.1 | <i>Insects</i> | 89 |
| 4.6.2.2 | <i>Echinoderms</i> | 91 |
| 4.6.3 | The jawed (higher) vertebrates | 92 |
| 4.7 | Memory in immune systems | 96 |
| 4.7.1 | Memory in the adaptive system | 98 |
| 4.7.2 | Memory in innate systems | 98 |
| 4.8 | Microbiota | 100 |
| 4.8.1 | Assembly, structure, and location of the microbiota | 100 |
| 4.8.2 | Mechanisms of defence by the microbiota | 102 |
| 4.9 | Evolution of the immune system | 104 |
| 4.9.1 | Recognition of non-self | 104 |
| 4.9.2 | The evolution of signal transduction and effectors | 104 |
| 4.9.3 | The evolution of adaptive immunity | 105 |
| Box 4.1 | Disease space: defences | 54 |
| Box 4.2 | Adaptive immunity in prokaryotes: the CRISPR–Cas system | 86 |
| Box 4.3 | Antiviral defence of invertebrates | 90 |
| Box 4.4 | Priming and memory | 97 |
| 5 | Ecological immunology | 109 |
| 5.1 | Variation in parasitism | 109 |
| 5.1.1 | Variation caused by external factors | 109 |
| 5.1.2 | Variation in immune responses | 110 |
| 5.2 | Ecological immunology: The costs of defence | 115 |
| 5.2.1 | General principles | 115 |
| 5.2.2 | Defence costs related to life history and behaviour | 118 |
| 5.2.3 | Cost of evolving an immune defence | 118 |
| 5.2.3.1 | <i>Genetic costs associated with the evolution of immune defences</i> | 118 |
| 5.2.3.2 | <i>Physiological costs associated with the evolution (maintenance) of immune defences</i> | 120 |

| | |
|--|------------|
| 5.2.4 Cost of using immune defences | 121 |
| 5.2.4.1 <i>Genetic costs associated with the deployment of immune defences</i> | 121 |
| 5.2.4.2 <i>Physiological costs associated with the deployment of immune defences</i> | 122 |
| 5.2.4.3 <i>Costs due to immunopathology</i> | 123 |
| 5.3 The nature of defence costs | 124 |
| 5.3.1 What is the limiting resource? | 124 |
| 5.3.1.1 <i>Energy</i> | 125 |
| 5.3.1.2 <i>Food and nutrients</i> | 126 |
| 5.3.2 Regulation of allocation | 127 |
| 5.4 Measurement and fitness effects of immune defence | 128 |
| 5.5 Tolerance as defence element | 130 |
| 5.5.1 Defining and measuring tolerance | 130 |
| 5.5.2 Mechanisms of tolerance | 131 |
| 5.5.3 Selection and evolution of tolerance | 133 |
| 5.6 Strategies of immune defence | 134 |
| 5.6.1 General considerations | 134 |
| 5.6.2 Defence and host life span | 136 |
| 5.6.3 Specific vs general defence | 138 |
| 5.6.4 Constitutive vs induced defence | 138 |
| 5.6.5 Robust defence | 139 |
| Box 5.1 Disease space and costs of defence | 111 |
| Box 5.2 Measures of host defence | 129 |
| Box 5.3 Structurally robust immune defences | 140 |
| 6 Parasites, immunity, and sexual selection | 143 |
| 6.1 Differences between the sexes | 143 |
| 6.1.1 Differences in susceptibility to parasites | 143 |
| 6.1.2 Differences in immune function | 143 |
| 6.1.3 The role of sex hormones | 145 |
| 6.2 Parasitism and sexual selection | 147 |
| 6.2.1 Female mate choice | 147 |
| 6.2.2 Males indicate the quality of resisting parasites | 150 |
| 6.2.2.1 <i>The Hamilton–Zuk hypothesis</i> | 150 |
| 6.2.2.2 <i>The immunocompetence handicap hypothesis</i> | 152 |
| 6.2.3 Male genotypes and benefits for resistance | 154 |
| 6.2.3.1 <i>Heterozygosity advantage</i> | 154 |
| 6.2.3.2 <i>Dissimilar genes</i> | 155 |
| Box 6.1 Sexual selection | 148 |
| 7 Specificity | 159 |
| 7.1 Parasite specificity and host range | 160 |
| 7.1.1 Measuring parasite specificity and host range | 160 |
| 7.1.1.1 <i>Observation of infections</i> | 160 |
| 7.1.1.2 <i>Screening with genetic tools</i> | 163 |
| 7.1.1.3 <i>Experimental infections</i> | 163 |

| | |
|---|------------|
| 7.1.2 Characteristics of a host | 166 |
| 7.1.3 Evolution of parasite specificity and host range | 166 |
| 7.2 Factors affecting the host range | 167 |
| 7.2.1 Biogeographical factors | 167 |
| 7.2.1.1 <i>Parasite geographic distribution</i> | 167 |
| 7.2.1.2 <i>Spatial heterogeneity</i> | 168 |
| 7.2.2 Phylogeny and available time | 169 |
| 7.2.2.1 <i>Constraints by host phylogen</i> | 169 |
| 7.2.2.2 <i>Phylogenetic age of groups</i> | 169 |
| 7.2.2.3 <i>Constraints by parasite group</i> | 169 |
| 7.2.3 Epidemiological processes | 169 |
| 7.2.3.1 <i>Transmission opportunities</i> | 169 |
| 7.2.3.2 <i>Differences in host predictability</i> | 170 |
| 7.2.3.3 <i>Transmission mode</i> | 170 |
| 7.2.4 Constraints set by life history | 170 |
| 7.2.4.1 <i>Host body size and longevity</i> | 170 |
| 7.2.4.2 <i>Complexity of the life cycle</i> | 171 |
| 7.2.4.3 <i>Selection regimes within the parasite's life cycle</i> | 171 |
| 7.2.5 Virulence and defence | 171 |
| 7.2.5.1 <i>Virulence of the parasite</i> | 171 |
| 7.2.5.2 <i>Immune defences and defensive symbionts</i> | 172 |
| 7.3 Specific host defences | 172 |
| 7.3.1 Specificity beyond the immune system | 172 |
| 7.3.1.1 <i>Behavioural defences</i> | 172 |
| 7.3.1.2 <i>Other non-immunological defences</i> | 173 |
| 7.3.2 Specificity of immune systems | 173 |
| 7.4 Memory, transgenerational protection | 173 |
| 7.4.1 Evolution of memory and immune priming | 173 |
| 7.4.2 Transgenerational immune priming (TGIP) | 176 |
| 7.5 Adaptive diversity and cross-reactivity | 181 |
| Box 7.1 Specificity in defence space | 159 |
| Box 7.2 Host specificity indices | 161 |
| 8 Parasite immune evasion and manipulation of host phenotype | 183 |
| 8.1 Parasites manipulate their hosts | 183 |
| 8.2 The diversity of immune evasion mechanisms | 184 |
| 8.2.1 Passive evasion | 184 |
| 8.2.2 Active interference | 185 |
| 8.2.3 Functional targets of immune evasion | 191 |
| 8.2.3.1 <i>Escape recognition</i> | 191 |
| 8.2.3.2 <i>Evasion of early responses</i> | 191 |
| 8.2.3.3 <i>Manipulate the signalling network</i> | 192 |
| 8.2.3.4 <i>Avoid being killed by effectors</i> | 194 |
| 8.2.3.5 <i>Manipulation of auxiliary mechanisms</i> | 194 |
| 8.2.3.6 <i>Microbiota as a target</i> | 195 |
| 8.3 Manipulation of the host phenotype | 196 |
| 8.3.1 Extending infection life span (parasite survival) | 196 |

| | | |
|----------|---|------------|
| 8.3.1.1 | <i>Fecundity reduction</i> | 196 |
| 8.3.1.2 | <i>Gigantism</i> | 196 |
| 8.3.1.3 | <i>Changes of the social context</i> | 199 |
| 8.3.2 | Manipulation of the host phenotype to increase transmission | 199 |
| 8.3.2.1 | <i>Transmission site</i> | 199 |
| 8.3.2.2 | <i>Transmission to a next host</i> | 202 |
| 8.3.2.3 | <i>Transmission by vectors</i> | 202 |
| 8.3.3 | Change of host morphology | 203 |
| 8.3.3.1 | <i>Colouration and odour</i> | 203 |
| 8.3.3.2 | <i>Morphology and feminization</i> | 203 |
| 8.3.4 | Affecting transmission routes | 205 |
| 8.3.5 | Affecting social behaviour | 206 |
| 8.3.6 | Affecting the neuronal system | 206 |
| 8.4 | Strategies of manipulation | 207 |
| 8.4.1 | Common tactics | 207 |
| 8.4.2 | What manipulation effort? | 208 |
| 8.4.3 | Multiple infections | 209 |
| Box 8.1 | Immune evasion by <i>Bacillus anthracis</i> | 184 |
| Box 8.2 | Is manipulation adaptive, and for whom? | 185 |
| Box 8.3 | Manipulation and evasion in disease space | 187 |
| Box 8.4 | Manipulation of vertical transmission | 205 |
| 9 | Transmission, infection, and pathogenesis | 213 |
| 9.1 | Transmission | 213 |
| 9.1.1 | Exit points from the host | 213 |
| 9.1.2 | Entry points | 215 |
| 9.1.3 | Horizontal vs vertical transmission | 215 |
| 9.1.4 | The evolution of transmission | 217 |
| 9.2 | Variation in infection outcome | 218 |
| 9.3 | Infection | 218 |
| 9.3.1 | Infective dose | 218 |
| 9.3.2 | Generalized models of infection | 224 |
| 9.3.2.1 | <i>Independent action hypothesis (IAH)</i> | 226 |
| 9.3.2.2 | <i>Individual effective dose (threshold models)</i> | 226 |
| 9.3.2.3 | <i>Host heterogeneity models (HHS)</i> | 226 |
| 9.3.2.4 | <i>Within-inoculum interaction models</i> | 226 |
| 9.3.2.5 | <i>Sequential models</i> | 227 |
| 9.3.3 | Process-based models | 227 |
| 9.3.3.1 | <i>The lottery model</i> | 227 |
| 9.3.3.2 | <i>The manipulation hypothesis</i> | 228 |
| 9.3.3.3 | <i>Early infection dynamics</i> | 229 |
| 9.4 | Pathogenesis: The mechanisms of virulence | 229 |
| 9.4.1 | Impairing host capacities | 229 |
| 9.4.2 | Destruction of tissue | 230 |
| 9.4.3 | Virulence factors | 232 |
| 9.4.3.1 | <i>Adhesion factors (adhesins)</i> | 232 |
| 9.4.3.2 | <i>Colonization factors</i> | 232 |

| | |
|--|------------|
| 9.4.3.3 <i>Invasion factors (Invasins)</i> | 232 |
| 9.4.3.4 <i>Immune evasion factors</i> | 233 |
| 9.4.4 <i>Toxins</i> | 233 |
| 9.4.5 <i>Proteases</i> | 234 |
| 9.4.6 <i>Pathogenesis via the microbiota</i> | 235 |
| 9.4.7 <i>Pathogenesis by co-infections</i> | 236 |
| 9.5 <i>Immunopathology</i> | 236 |
| 9.5.1 <i>Immunopathology associated with cytokines</i> | 238 |
| 9.5.2 <i>Immunopathology caused by immune evasion mechanisms</i> | 238 |
| Box 9.1 <i>Infection in disease space</i> | 220 |
| Box 9.2 <i>Definitions of dose</i> | 223 |
| Box 9.3 <i>Quantitative Microbial Risk Assessment (QMRA)</i> | 224 |
| Box 9.4 <i>Formalizing infectious dose in general models</i> | 225 |
| 10 Host–parasite genetics | 241 |
| 10.1 <i>Genetics and genomics of host–parasite interactions</i> | 241 |
| 10.1.1 <i>The importance of genetics</i> | 241 |
| 10.1.2 <i>Genomics and host–parasite genetics</i> | 242 |
| 10.1.2.1 <i>Diagnostics</i> | 242 |
| 10.1.2.2 <i>Reading the genome</i> | 242 |
| 10.1.2.3 <i>Association with a phenotype</i> | 242 |
| 10.1.2.4 <i>Changing the genotype</i> | 246 |
| 10.2 <i>Genetics of host defence</i> | 247 |
| 10.3 <i>Parasite genetics</i> | 250 |
| 10.3.1 <i>Viral genetics</i> | 250 |
| 10.3.2 <i>Genetics of pathogenic bacteria</i> | 252 |
| 10.3.2.1 <i>Pathogenicity islands</i> | 252 |
| 10.3.2.2 <i>PICIs and gene-transfer agents</i> | 257 |
| 10.4 <i>Genetic variation</i> | 257 |
| 10.4.1 <i>Individual genetic polymorphism</i> | 257 |
| 10.4.2 <i>Genetic variation in populations</i> | 260 |
| 10.4.3 <i>Gene expression</i> | 261 |
| 10.4.3.1 <i>Expression profile and transcriptome</i> | 261 |
| 10.4.3.2 <i>Copy number variation</i> | 263 |
| 10.4.3.3 <i>Phase variation and antigenic variation</i> | 264 |
| 10.4.4 <i>Heritability of host and pathogen traits</i> | 264 |
| 10.5 <i>Host–parasite genetic interactions</i> | 266 |
| 10.5.1 <i>Epistasis</i> | 266 |
| 10.5.2 <i>Models of genotypic interactions</i> | 267 |
| 10.5.2.1 <i>Gene-for-gene interaction (GFG)</i> | 271 |
| 10.5.2.2 <i>Matching specificities (matching alleles)</i> | 272 |
| 10.5.3 <i>Role of the microbiota</i> | 273 |
| 10.6 <i>Signatures of selection</i> | 273 |
| 10.6.1 <i>Selection by parasites in animal populations</i> | 275 |
| 10.6.2 <i>Selection by parasites in human populations</i> | 276 |
| 10.6.3 <i>Signatures of selection in parasites</i> | 277 |
| 10.7 <i>Parasite population genetic structure</i> | 277 |

| | |
|--|------------|
| 10.7.1 Determinants of structure | 277 |
| 10.7.2 Genetic exchange in parasites | 278 |
| Box 10.1 Host–parasite interaction in disease space | 243 |
| Box 10.2 Sequencing technologies | 244 |
| Box 10.3 Quantitative genetic effects | 264 |
| Box 10.4 Cross-infection experiments | 267 |
| Box 10.5 Genetic interaction models | 270 |
| Box 10.6 Signatures of selection | 274 |
| 11 Between-host dynamics (Epidemiology) | 281 |
| 11.1 Epidemiology of infectious diseases | 281 |
| 11.2 Modelling infectious diseases | 283 |
| 11.2.1 The SIR model | 284 |
| 11.2.2 Thresholds and vaccination | 291 |
| 11.2.3 Stochastic epidemiology | 294 |
| 11.2.4 Network analysis of epidemics | 295 |
| 11.2.5 Spatial heterogeneity | 299 |
| 11.2.6 The epidemic as an invasion process | 299 |
| 11.3 Endemic diseases and periodic outbreaks | 299 |
| 11.4 Epidemiology of vectored diseases | 300 |
| 11.5 Epidemiology of macroparasites | 302 |
| 11.5.1 Distribution of macroparasites among hosts | 302 |
| 11.5.2 Epidemiological dynamics of macroparasites | 303 |
| 11.6 Population dynamics of host–parasitoid systems | 305 |
| 11.7 Molecular epidemiology | 305 |
| 11.8 Immunoepidemiology | 312 |
| 11.8.1 Effects of immunity on disease dynamics | 312 |
| 11.8.2 Inferences from disease dynamics | 314 |
| 11.8.3 Immunological markers in epidemiology | 314 |
| Box 11.1 Bernoulli’s theory of smallpox | 283 |
| Box 11.2 The basic epidemiological model (SIR) | 285 |
| Box 11.3 Calculating R_0 | 291 |
| Box 11.4 Epidemics and disease space | 297 |
| Box 11.5 Epidemiology of macroparasites | 304 |
| Box 11.6 Phylodynamics | 306 |
| Box 11.7 Coronavirus outbreaks | 308 |
| 12 Within-host dynamics and evolution | 317 |
| 12.1 Primary phase of infection | 317 |
| 12.2 Within-host dynamics and evolution of parasites | 321 |
| 12.2.1 Target cell-limited models | 321 |
| 12.2.2 Dynamics in disease space | 325 |
| 12.2.3 Strategies of within-host growth | 326 |
| 12.2.4 Modelling immune responses | 326 |
| 12.2.4.1 <i>Computational immunology</i> | 326 |
| 12.2.4.2 <i>Systems immunology</i> | 329 |
| 12.3 Within-host evolution | 329 |

| | | |
|-----------|---|------------|
| 12.3.1 | Evolutionary processes in infecting populations | 330 |
| 12.3.1.1 | <i>Processes of diversification</i> | 330 |
| 12.3.1.2 | <i>Evolution of bacteria</i> | 331 |
| 12.3.1.3 | <i>Evolution of viruses</i> | 332 |
| 12.3.2 | Antigenic variation | 334 |
| 12.3.3 | Antibiotic resistance | 335 |
| 12.3.4 | Evolutionary perspectives of antibiotic resistance | 340 |
| 12.4 | Multiple infections | 342 |
| 12.4.1 | Competition within the host | 342 |
| 12.4.2 | Cooperation within hosts | 345 |
| 12.5 | Microbiota within the host | 347 |
| 12.6 | Within- vs between-host episodes | 348 |
| Box 12.1 | Signalling theory and infection | 319 |
| Box 12.2 | Target cell-limited models | 321 |
| Box 12.3 | Predictions for infections from disease space | 327 |
| Box 12.4 | Mechanisms of antibiotic resistance in bacteria | 338 |
| Box 12.5 | Quorum sensing in bacteria | 346 |
| 13 | Virulence evolution | 353 |
| 13.1 | The meaning of virulence | 353 |
| 13.2 | Virulence as a non- or mal-adaptive phenomenon | 353 |
| 13.2.1 | Virulence as a side effect | 353 |
| 13.2.2 | Short-sighted evolution | 354 |
| 13.2.3 | Virulence as a negligible effect for the parasite | 355 |
| 13.2.4 | Avirulence theory | 355 |
| 13.3 | Virulence as an evolved trait | 356 |
| 13.4 | The standard evolutionary theory of virulence | 358 |
| 13.4.1 | The basic principle | 358 |
| 13.4.2 | The recovery–virulence trade-off | 361 |
| 13.4.3 | The transmission–virulence trade-off | 362 |
| 13.5 | The ecology of virulence | 365 |
| 13.5.1 | Transmission mode | 365 |
| 13.5.2 | Host population dynamics | 368 |
| 13.6 | Host population structure | 369 |
| 13.6.1 | Spatial structure | 369 |
| 13.6.2 | Variation in host types | 370 |
| 13.6.3 | Social structure | 370 |
| 13.7 | Non-equilibrium virulence: Invasion and epidemics | 371 |
| 13.8 | Within-host evolution and virulence | 372 |
| 13.8.1 | Within-host replication and clearance of infection | 373 |
| 13.8.2 | Within-host evolution: Serial passage | 373 |
| 13.8.3 | Within-host evolution and virulence in a population | 375 |
| 13.9 | Multiple infections and parasite interactions | 376 |
| 13.9.1 | Virulence and competition among parasites | 376 |
| 13.9.1.1 | <i>Resource competition</i> | 376 |
| 13.9.1.2 | <i>Apparent competition</i> | 378 |
| 13.9.1.3 | <i>Interference competition</i> | 378 |

| | |
|--|------------|
| 13.9.2 Cooperation among co-infecting parasites | 379 |
| 13.9.2.1 <i>Kinship among parasites</i> | 379 |
| 13.9.2.2 <i>Cooperative action</i> | 379 |
| 13.10 Additional processes | 381 |
| 13.10.1 Medical intervention and virulence | 381 |
| 13.10.2 Castration and obligate killers | 383 |
| 13.11 Virulence and life history of infection | 383 |
| 13.11.1 The timing of benefits and costs | 383 |
| 13.11.2 Sensitivity of parasite fitness | 384 |
| Box 13.1 Virulence in disease space | 357 |
| Box 13.2 Extensions to the standard theory | 360 |
| Box 13.3 Virulence evolution with immunopathology | 363 |
| Box 13.4 Serial passage | 374 |
| Box 13.5 Kin selection and virulence | 380 |
| 14 Host–parasite co-evolution | 389 |
| 14.1 Macroevolution | 389 |
| 14.1.1 The adapted microbiota | 389 |
| 14.1.2 Co-speciation | 390 |
| 14.1.3 Host switching | 392 |
| 14.2 Microevolution | 396 |
| 14.2.1 Co-evolutionary scenarios | 397 |
| 14.2.1.1 <i>Selective sweeps</i> | 397 |
| 14.2.1.2 <i>Arms races</i> | 399 |
| 14.2.1.3 <i>Antagonistic, time-lagged fluctuations (Red Queen)</i> | 399 |
| 14.2.1.4 <i>'Evolution-proof' strategies</i> | 400 |
| 14.2.2 Parasites and maintenance of host diversity | 402 |
| 14.2.2.1 <i>Host–parasite asymmetry</i> | 402 |
| 14.2.2.2 <i>Red Queen and host diversity</i> | 403 |
| 14.2.2.3 <i>Trans-species polymorphism</i> | 405 |
| 14.3 Parasites, recombination, and sex | 406 |
| 14.3.1 Theoretical issues | 406 |
| 14.3.2 Empirical studies | 410 |
| 14.4 Local adaptation | 412 |
| Box 14.1 Co-evolution and disease space | 396 |
| Box 14.2 History of the Red Queen hypothesis | 401 |
| Box 14.3 The masterpiece of nature: Sex and recombination | 407 |
| 15 Ecology | 417 |
| 15.1 Host ecology and life history | 417 |
| 15.1.1 Host body size | 417 |
| 15.1.2 Host reproductive patterns | 417 |
| 15.1.3 Host group living and sociality | 419 |
| 15.1.4 Regulation of host populations by parasites | 422 |
| 15.1.5 Host population decline and extinction | 425 |
| 15.2 Host ecological communities | 429 |
| 15.2.1 Parasite effects on host competition | 429 |

| | |
|--|-----|
| 15.2.2 Communities of hosts | 429 |
| 15.2.3 Food webs | 430 |
| 15.2.4 Dilution effect | 432 |
| 15.2.5 The value of parasites for hosts | 433 |
| 15.3 Parasite ecology | 434 |
| 15.3.1 Geographical patterns | 434 |
| 15.3.1.1 <i>Relation to area size</i> | 434 |
| 15.3.1.2 <i>Latitudinal gradients</i> | 435 |
| 15.3.2 Parasite community richness and diversity | 436 |
| 15.4 Migration and invasion | 438 |
| 15.4.1 Host migration | 438 |
| 15.4.2 Host invasion | 438 |
| 15.4.2.1 <i>Enemy release (parasite loss)</i> | 439 |
| 15.4.2.2 <i>Parasite spill-over</i> | 440 |
| 15.4.2.3 <i>Parasite spill-back</i> | 442 |
| 15.4.2.4 <i>Facilitation</i> | 442 |
| 15.5 Zoonoses and disease emergence | 442 |
| 15.5.1 Reservoirs | 442 |
| 15.5.2 Emergence | 444 |
| 15.5.3 Zoonotic human diseases | 448 |
| 15.6 Climate change and parasitism | 450 |
| Box 15.1 Basic population ecology | 423 |
| Box 15.2 The African rinderpest epidemic | 426 |
| Box 15.3 Spill-over and disease space | 441 |
| Bibliography | 453 |
| Subject index | 529 |
| Taxonomic index | 539 |