

Cooperation and Hierarchy in Ancient Bolivia

Building Community with the Body

Sara L. Juengst

Contents

<i>List of Figures</i>	viii
<i>List of Tables</i>	xi
<i>Acknowledgements</i>	xii
<i>List of Abbreviations</i>	xiv
1 Studying Community and Power in the Past	1
2 Life in the Titicaca Basin	15
3 Daily Living: Sustenance, Stress, and Strain	36
4 Creating Relationships: Family and Friends	57
5 Growing Divisions: Violence and Identity	66
6 Building Community: Navigating New Terrain	82
<i>References</i>	93
<i>Index</i>	119

Figures

1.1	Map of the Copacabana Peninsula and relevant archaeological sites. Map drawn by Susan Brannock-Gaul	2
2.1	Lake Titicaca and surrounding landscape. Snowcapped peak is Illiampu	16
2.2	Modern fields with quinoa and other crops during the rainy season in 2018	20
2.3	Tortora reeds growing in the lake in summer 2012	21
2.4	Lakeside field with maize in spring 2018	22
2.5	Prehispanic terracing and Inka ruins on Isla del Sol (Isla Titicaca)	23
2.6	The reconstructed Yaya-Mama temple Ch'isi, with stone stelae in situ	25
2.7	The modern church at Sampaya, near the location of Muruqullu	30
2.8	Standing stone stelae at Kenasfena	31
3.1	Percent of burial samples displaying pathological lesions from each time period	42
3.2	Examples of pathological lesions from the Preceramic burials, including periosteal reactions on a tibia (A), osteomyelitis of a fibula (note the swollen and uneven appearance of the exterior surface) (B), and pitting on the posterior of a skull (C)	43
3.3	Percent of burial samples displaying osteoarthritic from each time period	44
3.4	Examples of osteoarthritis from the Preceramic burials, including lipping on the edges of lumbar vertebral bodies (A), pitting on the superior articular facets of the 2nd cervical vertebra (B), a Schmorl's node on the body of a lumbar vertebra (C), and pitting and lipping on the margin of a humeral head (D)	45

3.5	Dietary isotopic results. Modern plant and animal samples with human mean values by time period. Human mean error bars are one standard deviation. (PC = Preceramic, EH = Early Horizon, EIP = Early Intermediate Period)	46
3.6	Distribution of average $\delta^{13}\text{C}$ apatite carbonate values for each time period compared to K-means cluster centroids for dietary estimation developed by Froehle et al. (2012). (PC = Preceramic, EH = Early Horizon, EIP = Early Intermediate Period; C1-C5 indicate the five clusters from Froehle et al. 2012)	47
3.7	Examples of pathological lesions from the Early Horizon burials, including periosteal reactions on a femur (A) and tibia (B), osteomyelitis on a radius (C), cribra orbitalia (D), porotic hyperostosis (E), and linear enamel hypoplasia (F)	49
3.8	Examples of osteoarthritis from the Early Horizon burials, including pitting and lipping on the margin of the lunar notch of an ulna (A), lipping and a Schmorl's node on a lumbar vertebra (B), and lipping on two lumbar vertebral bodies (C)	50
3.9	Examples of pathological lesions from the EIP burials, including periosteal reactions on a tibia (A), osteomyelitis on a tibia (B), and pitting on the occipital bone of a juvenile individual (C)	53
3.10	Examples of osteoarthritis from the EIP burials, including pitting on the edge of the head of a radius (A), eburnation and pitting on the distal condyle of a femur (B), lipping and compression of a lumbar vertebra (C), and lipping and pitting on thoracic and lumbar vertebral bodies (D)	54
4.1	Predicted strontium map for Peru and Bolivia (adapted from Scaffidi and Knudson 2020)	61
4.2	Strontium isotope ratios for 40 sampled individuals. Black bar indicates the average minimum strontium ratio for the Titicaca Basin	64
5.1	Simplified types of cranial modification in the Andes. Top to bottom: unmodified, oblique, erect type 1, erect type 2	68
5.2	Percent of burial samples that displayed cranial modification for each time period	72

x *List of Figures*

5.3	Percent of burial samples that displayed skeletal trauma for each time period	73
5.4	Example of erect cranial modification from the Preceramic	73
5.5	Examples of skeletal trauma from the Preceramic, including healed sharp force trauma to the frontal bone (A) and a healed ulna fracture (B)	74
5.6	Examples of cranial modification from the Early Horizon. Top row: erect modification. Bottom row: oblique modification	76
5.7	Example of skeletal trauma from the Early Horizon, a perimortem fracture of the frontal of a juvenile individual	76
5.8	Examples of cranial modification from the EIP. Top row: erect modification. Bottom row: oblique modification	78
5.9	Examples of skeletal trauma from the EIP, including a perimortem cranial fracture and subsequent incomplete surgical intervention to remove piece of broken bone (A), an antemortem cranial fracture and healed subsequent surgical intervention (B), two healed rib fractures (C), and a healed ulnar fracture (D)	78

Tables

2.1	Chronology of the Titicaca Basin, associated material culture, and lake levels	17
2.2	Burial sample contributions from each site	28
2.3	Age estimates for the burial sample	33
2.4	Estimated sex of individuals in burial sample	35
3.1	Skeletal lesions of stress and disease by time period	41
3.2	Frequency of osteoarthritis at various joint surfaces	44
3.3	Mean isotope values by time period	46
4.1	Biodistance analysis where agreement equal to or above 0.5 indicates close correlation	63
5.1	Frequency of cranial modification types and trauma by time period	71
5.2	Connections between cranial modification and trauma by time period	72