


GEOLOGIC ATLAS
OF THE
ROCKY MOUNTAIN REGION
UNITED STATES OF AMERICA



ROCKY MOUNTAIN
ASSOCIATION OF GEOLOGISTS

Denver, Colorado

1972

CONTENTS

Text and Illustrations

INTRODUCTION

PIONEER GEOLOGISTS OF THE AMERICAN WEST..... W. LYLE DOCKERY	13
--	----

- Figure 1: Landmarks of the American West.
 2: Dana's stratigraphic column.
 3: Portrait of F. V. Hayden.
 4: Hayden party at Red Buttes.
 5: Jackson, Peale, and Turnbull in the field.
 6: Hayden and Paris in the field.
 7: Peale, Gannett, and Atkinson in the field.
 8: Holmes and Chittenden in the field.
 9: Portrait of J. W. Powell.
 10: Second Colorado River expedition party.
 11: The Emma Dean in Marble Canyon.
 12: Portrait of Clarence King.
 13: California Geological Survey personnel.
 14: King's survey party in the field.
 15: Shaft house, Star Mine, Leadville.
 16: Concentration plant, Moyer Mine, Leadville.
 17: Portrait of N. H. Darton.
 18: RMAG caravan, 1947, Summit County, Colorado.

PHYSICAL GEOLOGY

Regional Geography

CITIES, TOWNS AND HIGHWAYS..... AMERICAN ASSOCIATION OF PETROLEUM GEOLOGISTS AND GEOMAP COMPANY	24
--	----

- Figure 1: Cities, towns and highways in Idaho, Montana, Wyoming, western Nebraska and the Dakotas.
 2: Cities, towns and highways in Utah, Colorado, Arizona and New Mexico.

COUNTIES AND RIVERS..... U.S. GEOLOGICAL SURVEY	28
---	----

PHYSIOGRAPHY..... ARTHUR D. HOWARD, JOHN W. WILLIAMS AND IRWIN RAISZ	29
---	----

- Figure 1: Major physiographic provinces of western United States.
 2: Physiographic provinces in the Rocky Mountain region and landforms of western United States.

Regional Geology

CONTINENTAL SETTING OF THE REGION..... WILLIAM W. MALLORY	32
---	----

- Figure 1: Major pre-Tertiary rock provinces of North America.
 2: Permian paleomagnetic earth model for North America.

AREAL GEOLOGY..... IRVING J. WITKIND AND L. TROWBRIDGE GROSE	34
--	----

- Figure 1: Areal geology.

TECTONICS..... L. TROWBRIDGE GROSE	35
--	----

- Figure 1: Major tectonic units.
 2: Anticlines and faults.
 3: Major fold axes and faults.
 4: Structural cross sections.
 5: Conjectural diagrammatic section, Rocky Mountain and Cordilleran regional relations during the Laramide orogeny.

Regional Geophysics

BOUGUER GRAVITY	G. L. BRINKWORTH AND M. DEAN KLEINKOPF	45
Figure 1: Northeast-southwest profile across Wyoming.		
2: East-west profile across Colorado.		
3: Bouguer gravity.		
SEISMICITY	RUTH B. SIMON	48
Figure 1: Modified Mercalli intensity scale, 1956.		
2: List of earthquakes in the western mountain region, 1852-1963.		
3: Earthquakes of record and interpreted seismicity, 1852-1969.		
4: Photographs showing effects of the Hebgen Lake earthquake of August 17, 1959.		
5: Known significant earthquakes of record in Colorado.		
6: Seismicity in Colorado.		

HISTORICAL GEOLOGY

Precambrian Rocks

CONFIGURATION OF THE PRECAMBRIAN ROCK SURFACE	J. C. MacLACHLAN, H. C. BEMIS, R. W. BRYSON, R. D. HOLT, C. J. LEWIS, D. E. WILDE	53
Figure 1: Configuration of the Precambrian rock surface.		
AGE OF MAJOR PRECAMBRIAN ROCK UNITS	CARL E. HEDGE	54
Figure 1: Age of major Precambrian rock units.		

Phanerozoic Rocks

THICKNESS OF PHANEROZOIC SEDIMENTARY ROCKS	FRED S. JENSEN, JAMES G. MITCHELL AND JAMES C. MacLACHLAN	56
Figure 1: Thickness of Phanerozoic sedimentary rocks.		
REVIEW OF PHANEROZOIC HISTORY	HARRY C. KENT	57
Figure 1: Relationship between sequences and geologic periods.		

PALEOZOIC ERATHEM

CAMBRIAN SYSTEM	CHRISTINA LOCHMAN-BALK	60
Figure 1: Tectonic framework in Cambrian time.		
2: Correlation chart of Cambrian formations.		
3: Areal geology of upper surface of the Cambrian System.		
4: Present thickness of the Cambrian System.		
5: Restored thickness and lithofacies of the Lower Cambrian Series.		
6: Restored thickness and lithofacies of the lower part of the Middle Cambrian Series.		
7: Restored thickness and lithofacies of the upper part of the Middle Cambrian Series.		
8: Restored thickness and lithofacies of the Dresbach Stage.		
9: Restored thickness and lithofacies of the Franconia Stage.		
10: Restored thickness and lithofacies of the Trempealeau Stage.		
11: Sections in Cambrian rocks, A-A', B-B', C-C'.		
12: Sections in Cambrian rocks, D-D', F-F', G-G'.		
13: Sections in Cambrian rocks, E-E', H-H'.		
14: Paleogeography and depositional environment in Cambrian time.		
ORDOVICIAN SYSTEM	NORMAN H. FOSTER	76
Figure 1: Correlation chart of Ordovician formations.		
2: Sub-Ordovician paleogeology.		
3: Thickness of the Ordovician System.		
4: Thickness and lithology of rocks of Canadian age.		
5: Thickness and lithology of rocks of lower Champlainian age.		
6: Thickness and lithology of rocks of upper Champlainian and lower Cincinnati age.		
7: Thickness and lithology of rocks of upper Cincinnati age.		
8: Sections in Ordovician rocks, A-A', B-B' and C-C'.		
9: Sections in Ordovician rocks, D-D' and E-E'.		
SILURIAN SYSTEM	FRANK K. GIBBS	86
Figure 1: Regional index map.		
2: Correlation chart of Silurian rocks.		
3: Sub-Silurian paleogeology.		
4: Thickness of the Silurian System.		
5: Thickness and lithology of the lower Interlake beds.		

	6: Thickness and lithology of the middle Interlake beds.	
	7: Thickness and lithology of the upper Interlake beds.	
	8: Correlation section.	
DEVONIAN SYSTEM	DONALD L. BAARS	90
Figure	1: Devonian and earliest Mississippian tectonic elements.	
	2: <i>Correlation chart of Devonian formations.</i>	
	3: Sub-Devonian paleogeologic map.	
	4: Thickness of the Devonian System.	
	5: <i>Thickness and lithofacies of Middle Devonian rocks.</i>	
	6: <i>Thickness and lithofacies of lower Upper Devonian rocks.</i>	
	7: <i>Thickness and lithofacies of upper Upper Devonian rocks.</i>	
	8: <i>Thickness and lithofacies of uppermost Devonian and lowermost Mississippian rocks.</i>	
MISSISSIPPIAN SYSTEM	LAWRENCE C. CRAIG	100
Figure	1: Correlation chart of Mississippian formations.	
	2: Sub-Mississippian paleogeology.	
	3: Thickness of the Mississippian System.	
	4: <i>Thickness and lithofacies of rocks of Kinderhook age.</i>	
	5: <i>Thickness and lithofacies of rocks mostly of Osage age.</i>	
	6: <i>Thickness and lithofacies of rocks of Meramec age.</i>	
	7: <i>Thickness and lithofacies of rocks of Chester age.</i>	
	8: <i>Stratigraphic section in Montana and North Dakota.</i>	
	9: <i>Model of Kinderhook sedimentation in the Williston basin and adjacent shelf area during Kinderhook time.</i>	
PENNSYLVANIAN SYSTEM		
REGIONAL SYNTHESIS	WILLIAM W. MALLORY	111
Figure	1: Index map of geographic, paleogeographic and structural features, Montana-Dakota region.	
	2: Correlation chart of Pennsylvanian formations.	
	3: Sub-Pennsylvanian paleogeology.	
	4: Thickness of the Pennsylvanian System.	
	5: <i>Thickness and lithofacies of rocks mostly of Morrow age.</i>	
	6: <i>Thickness and lithofacies of rocks mostly of Atoka age.</i>	
	7: <i>Thickness and lithofacies of rocks mostly of Des Moines age.</i>	
	8: <i>Thickness and lithofacies of rocks mostly of Missouri age.</i>	
	9: <i>Thickness and lithofacies of rocks mostly of Virgil age.</i>	
	10: <i>Stratigraphic section in the Central Montana platform and the Williston basin.</i>	
	11: <i>Stratigraphic section in the Wyoming shelf.</i>	
	12: <i>Stratigraphic section in the Eagle basin.</i>	
	13: <i>Pennsylvanian and later structural features in the Middle and Southern Rocky Mountain and Colorado Plateau regions</i>	
	14: <i>Geographic index map for northern Arizona.</i>	
THE TYLER FORMATION IN THE SUBSURFACE, CENTRAL MONTANA	FRED S. JENSEN AND KENDALL P. CARLSON	128
Figure	1: Index map of part of central Montana, and oil pools productive from the Tyler Formation.	
	2: Recent developments in nomenclature of Mississippian and Pennsylvanian rocks in central Montana.	
	3: Stratigraphic sections in the upper part of the Big Snowy and lower part of the Amsden Groups, central Montana.	
PENNSYLVANIAN ARKOSE AND THE ANCESTRAL ROCKY MOUNTAINS	WILLIAM W. MALLORY	131
Figure	1: The Ancestral Rocky Mountains and associated arkosic rocks.	
	2: Depositional patterns in the Fountain Formation.	
PENNSYLVANIAN ROCKS AND SALT ANTICLINES, PARADOX BASIN, UTAH AND COLORADO	ROBERT J. HITE, FRED W. CATER AND JOHN A. LIMING	133
Figure	1a: Index and paleogeographic map of Paradox basin area.	
	1b: Limits of major saline wedges and location of salt anticlines in the Paradox basin.	
	2: <i>Stratigraphic section through the Pennsylvanian System in the Paradox basin.</i>	
	3: Depositional models of the Paradox basin in Des Moines time.	
	4: Diagrammatic cross sections showing growth and collapse of the Gypsum Valley and Paradox Valley salt anticlines.	
PENNSYLVANIAN STRATIGRAPHY, SOUTHERN SANGRE DE CRISTO MOUNTAINS, NEW MEXICO.....	PATRICK K. SUTHERLAND	139
Figure	1: Table of Pennsylvanian formations.	
	2a: Generalized south-north correlation of Pennsylvanian (and Permian?) formations.	
	2b: Stratigraphic changes in lithologic character in the La Pasada and Alamos Formations in the Pecos Valley area.	
	3: Generalized pre-Paleozoic subcrop map of the southern Sangre de Cristo Mountain area in relation to the Pecos-Pecos fault and the postulated location of the eastern edge of the Uncompahgre Highland in southern Colorado.	
	4: Postulated Early Pennsylvanian southern limit of metasedimentary rocks west of the Pecos-Pecos fault.	
	5: Principal tectonic elements in Early Pennsylvanian time.	
	6: Depositional pattern, Morrow to middle Des Moines time.	
	7: Depositional pattern, late Des Moines time.	
	8: Depositional pattern, Missouri and Virgil time.	

PERMIAN SYSTEMBAILEY RASCOE, JR., AND DONALD L. BAARS.....143

- Figure 1a: Correlation table of Permian formations: northeastern area.
 1b: Correlation table of Permian formations: southwestern area.
 2: Thickness of the Permian System.
 3: Time-stratigraphic framework of the Permian System.
 4: Sub-Permian paleogeology.
 5: Thickness and lithofacies of lower Wolfcamp rocks.
 6: Thickness and lithofacies of upper Wolfcamp rocks.
 7: Thickness and lithofacies of lower Leonard rocks.
 8: Thickness and lithofacies of upper Leonard rocks.
 9: Thickness and lithofacies of Guadalupe rocks.
 10: Sections in the Permian System in the northeastern area, A-A', B-B'.
 11: Sections in the Permian System in the northeastern area, C-C', D-D'.
 12: Sections in the Permian System in the northeastern area, E-E', F-F', G-G', H-H'.
 13: Sections in the Permian System in the southwestern area, I-I', J-J', K-K'.
 14: Sections in the Permian System in the southwestern area, L-L', M-M', N-N'.
 15: Depositional environments during the Permian Period.

MESOZOIC ERATHEM

TRIASSIC SYSTEMMARJORIE M. MacLACHLAN166

- Figure 1: Correlation table of Triassic formations.
 2: Sub-Triassic paleogeology.
 3: Thickness of the Triassic System.
 4: Thickness and lithofacies of Lower and Middle(?) Triassic rocks.
 5: Tectonic map for Early and Middle(?) Triassic times.
 6: Thickness and lithofacies of Upper Triassic rocks.
 7: Tectonic map for Late Triassic time.
 8: Thickness and lithofacies of Triassic(?) and younger rocks.
 9: Sections in Triassic rocks.

JURASSIC SYSTEMJAMES A. PETERSON177

- Figure 1: Correlation chart of Jurassic formations.
 2: Sub-Jurassic paleogeology.
 3: Thickness of the Jurassic System.
 4: Lithofacies of rocks of Nugget age.
 5: Thickness and lithofacies of rocks of Piper-Nesson age.
 6: Thickness and lithofacies of rocks of Reardon age.
 7: Thickness and lithofacies of rocks of Swift age.
 8: Thickness and lithofacies of rocks of Morrison age.
 9: Section in Montana and North Dakota.
 10: Section from Utah to South Dakota.
 11: Section from Nevada to Colorado.
 12: Section from Montana to New Mexico.

CRETACEOUS SYSTEMDONALD P. MCGOOKEY, JOHN D. HAUN, LYLE A. HALE, H. G. GOODELL, DONALD G. McCUBBIN, ROBERT J. WEIMER AND GEORGE R. WULF.....190

- Figure 1: Western Interior Cretaceous seaway.
 2: Geologic time scale and western Utah tectonic activity.
 3: Diagrammatic section across the Rocky Mountain geosyncline in central Utah.
 4: Mapped traces of major thrust faults.
 5: Stratigraphic sections in four large overthrust sheets and in the Green River basin.
 6: Estimated age of principal movement on major thrust faults.
 7: Cretaceous batholiths, laccoliths, other plutons and volcanic centers.
 8: Dates of igneous activity as determined by radioactive dating and stratigraphic position.
 9: Correlation chart of Cretaceous formations.
 10: Location of correlation chart columns.
 11: Thickness and paleogeographic setting, lower part of Lower Cretaceous rocks.
 12: Sub-Cretaceous paleogeology.
 13: Lower Cretaceous lacustrine deposits.
 14: Pre-Middle Albian Lower Cretaceous drainage.
 15: Thickness and paleogeographic setting, upper part of Lower Cretaceous rocks.
 16: Paleoenvironment in late Skull Creek time.
 17: Paleoenvironment in late Mowry time.
 18: West-east section in Lower Cretaceous rocks.
 19: Northwest-southeast section in Lower Cretaceous rocks.
 20: Typical electric log characteristics of the Lower Cretaceous Dymeson and Newcastle Sandstones.
 21: Block diagram showing dendritic drainage pattern formed by the Newcastle stream system.
 22: Thickness of Upper Cretaceous rocks.
 23: Regional transgressive-regressive cycles.
 24: Northwest-southeast schematic section in the Dakota Group.
 25: Isolith map of total sandstone in D interval.
 26: Paleoenvironment in early Belle Fourche time.
 27: Paleoenvironment in middle Greenhorn (Jetmore Chalk) time.
 28: Paleoenvironment in late middle Carlile (Turner Sandstone Member) time.
 29: Section in northwest part of San Juan basin.
 30: Diagrammatic restored section of Upper Cretaceous rocks from San Juan basin to Denver basin.
 31: Diagrammatic restored section of Upper Cretaceous rocks from Gunnison Plateau to Denver basin.

- 32: Diagrammatic restored section of Upper Cretaceous rocks from southwest Wyoming to west flank of Black Hills.
- 33: Diagrammatic restored section of Upper Cretaceous rocks from southwest Montana to Cedar Creek anticline.
- 34: Diagrammatic restored section of Upper Cretaceous rocks from Browning basin to west flank of Williston basin.
- 35: Diagrammatic restored section of Upper Cretaceous rocks from north-central Montana to San Juan basin.
- 36: Paleoenvironment in early Niobrara (Fort Hays) time.
- 37: Paleoenvironment in middle Niobrara time.
- 38: Hypothetical paleogeography of part of Niobrara Seaway during lower Coniacian time.
- 39: Paleoenvironment in Telegraph Creek time.
- 40: Paleoenvironment in latest Eagle time.
- 41: Restored section showing relation of Teapot Sandstone to other rocks.
- 42: Index map showing location of sections on figure 41.
- 43: Fence diagram of Upper Cretaceous rocks, Northern Great Plains.
- 44: Paleoenvironment in early Claggett time.
- 45: Paleoenvironment in middle Judith River time.
- 46: Diagrammatic section of Mesaverde Formation in Sand Wash basin.
- 47: Diagrammatic sketch of modern nearshore suite of depositional environments and vertical superposition of subenvironments that result from progradation.
- 48: Outcrop of the Twenty Mile Tongue of the Mesaverde Group, northwestern Colorado, and interpretation of depositional environments.
- 49: Paleoenvironment in middle Bearpaw time.
- 50: Paleoenvironment in early Fox Hills time.
- 51: West-east electric-log correlation section showing relation of surface to subsurface stratigraphy on Wamsutter arch.
- 52: Areal extent of four porous and permeable sandstone zones in upper 100 feet of Almond Formation, Wamsutter arch.
- 53: Paleoenvironment in latest Cretaceous time.

CENOZOIC ERATHM

UPPER CRETACEOUS AND CENOZOIC IGNEOUS ROCKS . . . T. A. STEVEN, H. W. SMEDES, H. J. PROSTKA,
P. W. LIPMAN AND R. L. CHRISTIANSEN 229

- Figure 1: Upper Cretaceous to middle Cenozoic igneous rocks.
2: Upper Cenozoic igneous rocks.

TERTIARY SYSTEM

TERTIARY HISTORY PETER ROBINSON 233

- Figure 1: Correlation chart of Tertiary formations.
2: Location of measured sections.
3: Areas of deposition and erosion in Paleocene time.
4: Areas of deposition and erosion in Eocene time.
5: Areas of deposition and erosion in Oligocene time.
6: Areas of deposition and erosion in Miocene time.
7: Areas of deposition and erosion in Pliocene time.

EOCENE AND PALEOCENE ROCKS OF THE SOUTHERN AND CENTRAL BASINS ROBERT E. McDONALD 243

- Figure 1: Thickness of Paleocene rocks.
2: Thickness of Eocene rocks.
3: Sections in Eocene and Paleocene rocks (San Juan, Uinta and Piceance basins).
4a: Sections in Eocene and Paleocene rocks (Washakie, Red Desert and Green River basins).
4b: Diagrammatic section modified from Bradley (1964), southwestern Wyoming.
5: Paleogeography in early Paleocene time.
6: Paleogeography in late Paleocene time.
7: Paleogeography in late early to middle Eocene time.
8: Paleogeography in late Eocene time.

QUATERNARY SYSTEM

WISCONSIN GLACIATION JOHN M. MONTAGNE 257

- Figure 1: Photographs of selected glacial features.
2: Glaciation during the Wisconsin Stage.

ECONOMIC GEOLOGY

Fuels

PETROLEUM AND NATURAL GAS

- Figure 1: Petroleum- and natural gas-producing provinces.

Sweetgrass arch W. L. Foley 262
2: Oil and gas fields of the Sweetgrass arch.
North-central and central Montana E. Earl Norwood 265
3: Oil and gas fields of north central Montana.
4: Oil and gas fields of central Montana.

Williston basin	Alan R. Hansen	265
5: Oil and gas fields of the Williston basin.		
Powder River basin	A. A. McGregor	269
6: Oil and gas fields of the Powder River basin.		
Big Horn basin	John P. Weldon	270
7: Oil and gas fields of the Big Horn basin.		
Wind River basin	R. W. Benner	273
8: Oil and gas fields of the Wind River basin.		
Southern Wyoming	Lyle A. Hafe and Warren W. Skecters	274
9: Oil and gas fields of southern Wyoming.		
Uinta basin	Howard R. Ritzma	276
10: Structural pattern, Uinta basin.		
11: Hydrocarbons in Cretaceous and Tertiary formations, Uinta basin.		
12: Oil and gas fields of the Uinta basin.		
Piceance basin and Axial Basin uplift	Hal Dunn	278
13: Oil and gas fields of the Piceance basin and Axial Basin uplift.		
Denver basin and Las Animas arch	Richard W. Volk	281
14: Oil and gas fields of the Denver basin and Las Animas arch.		
Paradox basin	C. M. Molenaar	282
15: Oil and gas fields of the Paradox basin.		
San Juan basin	Roy L. Pritchard	284
16: Oil and gas fields of the San Juan basin.		
GREEN RIVER OIL SHALE	FRANK P. VAN WEST	287
Figure 1: Oil shale areas in western United States.		
2: Geography of the Colorado-Utah-Wyoming area.		
3a: Schematic stratigraphic section through Lake Uinta deposits.		
3b: Schematic stratigraphic section through Lake Gosute deposits.		
4: Section through the Green River Formation in the Piceance basin.		
5: Lake Gosute and its drainage basin.		
6: Areal geology, thickness, structure and economic aspects of the Green River Formation, Colorado-Utah-Wyoming area.		
PETROLEUM-IMPREGNATED ROCKS AND SHALLOW OIL FIELDS	GRAHAM R. CURTIS	293
Figure 1: Tabulation of data on petroleum-impregnated rocks and shallow oil pools.		
2: Location of petroleum-impregnated rocks and shallow oil pools.		
COAL	PAUL AVERITT	297
Figure 1: Comparison of heat values and proximate analyses of coal.		
2: Combined coal production of six Rocky Mountain states.		
3: Coal fields of the region.		
Metals		
BASE AND PRECIOUS METALS	JOHN W. VANDERWILT, RAY E. GILBERT AND RUSSELL E. BAILEY	300
Figure 1: Value of annual production of gold, silver, copper, lead, zinc and molybdenum in the western states, 1962-1967.		
2: Major gold-mining districts.		
3: Major silver-mining districts.		
4: Major copper-mining districts.		
5: Major lead-mining districts.		
6: Major zinc-mining districts.		
7: Major molybdenum mining districts.		
URANIUM	ARTHUR P. BUTLER	315
Figure 1: Location and size of uranium deposits.		
Chemical Rocks		
SALINE ROCKS	ROBERT J. HITE	318
Figure 1: Saline rocks (excluding gypsum and anhydrite).		
2: Gypsum outcrops.		

PHOSPHATIC ROCKSNEAL J. HARR 322

- Figure 1: Lithology and thickness of the Phosphoria formation and equivalents.
2: Stratigraphic relations of the Phosphoria, Park City and Chugwater Formations.
3: Idealized sedimentation in the Phosphoria sea.

Large-Volume Commodities

WATER S. W. LOHMAN AND M. S. PETERSEN 324

- Figure 1: Average discharge of principal rivers, in cubic feet per second.
2: General availability of ground water.

INDUSTRIAL ROCKS AND MINERALS JAMES H. BUTLER AND ARTHUR J. PANSZE 328

- Figure 1: Location of selected industrial mineral deposits.
2: Producing localities of sand, gravel, stone and clay (1968).
3: Production of industrial minerals (1968).