

Wheat Disease Resistance Gene *Lr34* and the Role of Abscisic Acid

Dissertation

zur

**Erlangung der naturwissenschaftlichen Doktorwürde
(Dr. sc. nat.)**

vorgelegt der

Mathematisch-naturwissenschaftlichen Fakultät

der

Universität Zürich

von

Stephanie Bräunlich

von

Binningen BL

Promotionskommission

Prof. Dr. Beat Keller (Vorsitz und Leitung der Dissertation)

Prof. Dr. Simon Krattinger

Prof. Dr. Christoph Ringli

Prof. Dr. Enrico Martinoia

Zürich, 2021

Table of contents

Summary	1
General Introduction	3
1. Major cereal crops and future challenges	4
2. Fungal diseases of cereal crops	5
2.1 Rust and powdery mildew diseases on wheat and barley	5
2.2 Maize diseases Northern Corn Leaf Blight and common rust	6
2.3 Rice and the rice blast disease	6
3. Plant disease resistance	8
3.1 Receptor-based resistance	8
3.2 Non-receptor-based resistance	11
3.3 The wheat disease resistance gene <i>Lr34</i>	12
4. The phytohormone abscisic acid (ABA)	14
5. <i>Lr34</i> and other ABC transporters	17
6. Aim of the thesis	19
Chapter A: Abscisic acid is a substrate of the ABC transporter encoded by the durable wheat disease resistance gene <i>Lr34</i>	21
Summary	22
1. Introduction	23
2. Results	24
2.1 <i>Lr34res</i> induces transcripts reminiscent of an ABA-regulated stress response in rice	24
2.2 <i>Lr34res</i> -expressing rice plants show alterations in several ABA-regulated traits	26
2.3 <i>Lr34res</i> acts as an ABA transporter	27
2.4 Expressing <i>Lr34res</i> in an ABA-deficient background enhances the <i>Lr34res</i> phenotype	30
3. Discussion	31
3.1 Role of ABA in disease resistance	33
3.2 A model for durable multipathogen disease resistance in cereals	33
4. Experimental procedures	34
4.1 Plant materials and growth conditions	34
4.2 Pathogen strains	34
4.3 RNA sequencing	35
4.4 Dehydration stress and leaf transpiration experiments	36
4.5 ABA germination experiments	36
4.6 ³ H-ABA accumulation assay in rice seedlings	36
4.7 Heterologous expression of <i>Lr34</i> in yeast and ABA loading assays	37
4.8 Cloning and transformation of genomic <i>HA-Lr34res</i> and <i>HA-Lr34sus</i> alleles into barley	37

4.9 Protein extraction, sodium dodecyl sulfate polyacrylamide gel electrophoresis, and Western blot	38
4.10 Analysis of ABA-deficient crosses	38
4.11 ABA concentration measurement	39
4.13 Accession numbers	39
5. Acknowledgement	39
7. Supplementary material	40
8. Appendix	50
Concentration of ABA and its derivatives do not explain the enhanced <i>Lr34res</i> phenotype in an ABA-deficient background	50
Material and methods: Hormone measurements with mass spectrometry	52
Chapter B: Expression of the wheat disease resistance gene <i>Lr34</i> in transgenic barley leads to accumulation of abscisic acid at the leaf tip	55
Summary	56
1. Introduction	56
2. Results	58
2.1 Accumulation of abscisic acid at the leaf tip in <i>Lr34res</i> -expressing wheat and barley plants	58
2.2 Field grown <i>Lr34res</i> -expressing barley plants show redistribution of ABA but no accumulation of <i>Lr34res</i> transcript at the leaf tips	59
2.3 Development of leaf tip necrosis after leaf tip removal coincides with <i>Lr34res</i> -mediated ABA accumulation	62
3. Discussion	63
4. Experimental procedures	65
4.1 Plant material and growth conditions	65
4.2 Field experiment and disease scoring	65
4.3 Measurement of whole leaf ABA concentration	66
4.4 Measurement of apoplastic ABA in wheat plants	67
4.5 Transgene expression analysis of field grown barley plants	67
4.6 Statistical analysis	68
5. Acknowledgements	68
6. Supplementary material	69
Chapter C: LR34res protein level is reduced by heat stress and abscisic acid	73
Summary	74
1. Introduction	74
2. Results	76
2.1 <i>Lr34</i> expression of in ABA-deficient maize lines does not result in enhanced resistance	76
2.2 Differing HA-LR34res and HA-LR34sus protein levels in transgenic rice and barley	78
2.3 Expression of <i>Lr34res</i> in transgenic barley is reduced by heat and ABA treatment	79

3. Discussion	81
4. Experimental procedures	82
4.1 Plant material, growth conditions and treatments	82
4.2 Maize rust infections	83
4.3 Measurement of ABA concentration in maize	83
4.4 Rice transformation and screening of transformants	84
4.5 Punch infection with <i>M. oryzae</i>	85
4.6. Gene expression analysis	85
4.5 Immunoblotting of HA-tagged lines	86
5. Acknowledgement	87
6. Supplementary material	88
Conclusions and outlook	97
1. LR34res acts as an ABA transporter and alters the distribution of ABA	97
2. Open questions on the link between ABA and disease resistance	99
3. Varying LR34res and LR34sus protein levels and negative regulation of <i>Lr34res</i> by abiotic stress	100
4. Potential of <i>Lr34res</i> -expressing transgenic crops in agricultural breeding programs	101
Acknowledgement	103
References	105
Curriculum vitae	129