Next-Generation Soil Quality Monitoring

Metabarcoding of Soil Bacterial and Fungal Communities for Long-Term Soil Quality Monitoring

Dissertation

zur Erlangung der naturwissenschaftlichen Doktorwürde (Dr. sc. nat.)

vorgelegt der

Mathematisch-naturwissenschaftlichen Fakultät

der

Universität Zürich

von

Florian Gschwend

von

Altstätten SG

Promotionskommission Prof. Dr. Jakob Pernthaler (Vorsitz) Dr. Franco Widmer (Leitung der Dissertation) Prof. Dr. Leo Eberl Dr. Martin Hartmann

Zürich, 2022

	contents	
Zusamme	enfassung	7
Abstract		9
1	General introduction	11
1.1	Soil ecosystems	11
1.1.1	Soil habitat	11
1.1.2	Soil food webs	12
1.1.3	Soil microbial diversity	13
1.1.3.1	Overview	13
1.1.3.2	Bacteria	13
1.1.3.3	Fungi	16
1.1.3.4	Other microbial organisms: archaea, protists, viruses	17
1.2	Soil functions and ecosystem services	19
1.2.1	Soil functions	19
1.2.2	Soil ecosystem services	21
1.2.3	Influence of soil microorganisms on soil functions and ecosystem services	22
1.3	Soil quality	23
1.3.1	Definitions of soil fertility, soil quality, and soil health	23
1.3.2	Biological indicators for soil quality	26
1.4	Soil monitoring	27
1.4.1	General surveillance and targeted monitoring	27
1.4.2	Soil monitoring networks in Europe	27
1.5	Assessment of soil microbiota	30
1.5.1	Definition of microbial community, microbiota, and microbiome	30
1.5.2	Metabarcoding	31
1.5.3	Community analyses	33
1.6	Next-generation biomonitoring	36
1.7	Research goals and structure of this thesis	37
2	Long-term stability of soil bacterial and fungal community structures	
	revealed in their abundant and rare fractions	39
2.1	Abstract	40
2.2	Introduction	40
2.3	Material and methods	43
2.3.1	Sampling design and physico-chemical soil analyses	43
2.3.2	Analyses of soil microbial communities	44
2.3.3	Statistical analyses of soil microbial communities	45
2.3.4	Indicative, core, abundant, rare, and scarce OTUs	47
2.4	Results	48
2.4.1	Temporal stability of soil microbial communities	48
2.4.2	Structural similarity of entire and partial communities	50
2.4.3	Identification of scarce OTUs	53
2.4.4	Temporal stability of abundant and rare community fractions	53
2.5	Discussion	56
2.5.1	Temporal stability of soil bacterial and fungal communities	56
2.5.2	Temporal community shifts	57
2.5.3	Normal operating ranges of soil microbial community structures	58

2.5.4	Similarities of entire communities with abundant and rare fractions	58
2.5.5	Identification of scarce OTUs	60
2.5.6	Consequences for soil quality monitoring	61
2.6	Conclusions	61
3	Site and land-use associations of bacteria and fungi define	
	core and indicative taxa	62
3.1	Abstract	63
3.2	Introduction	63
3.3	Material and Methods	66
3.3.1	Sampling design, DNA extraction, and microbial biomass measurement	66
3.3.2	Barcode amplification, sequencing, and sequence analysis	66
3.3.3	Statistics	67
3.3.4	Definition of OTU groups	68
3.4	Results	69
3.4.1	Increasing resolution from microbial biomass to community structures	69
3.4.2	Partitioning of OTUs into core and indicative groups	71
3.4.3	Environmental factors driving structures of core communities	72
3.4.4	Association of bacterial and fungal core OTUs to land-use types	73
3.4.5	Distribution of bacterial and fungal families among land-use types	75
3.5	Discussion	79
3.5.1	Land-use-specificity of soil bacterial and fungal communities	79
3.5.2	Similarities of soil bacterial and fungal communities among land-use types	81
3.5.3	Potential use of sc-OTUs to provide a temporally stable,	
	cultivation-independent reference list of dominant taxa	82
3.6	Conclusions	83
4	Periodic waterlogging consistently shapes agricultural soil microbiomes	
	by promoting specific taxa	85
4.1	Abstract	86
4.2	Introduction	86
4.3	Material and methods	89
4.3.1	Study site and sampling	89
4.3.2	Physico-chemical soil properties	90
4.3.3	DNA extraction and metabarcoding	90
4.3.4	Statistics	92
4.4	Results	93
4.4.1	Impacts of periodic waterlogging on soil microbial communities	93
4.4.1.1	OTU richness, evenness, and alpha-diversity	93
4.4.1.2	Microbial community structures	94
4.4.1.3	Discriminatory power of soil microbiomes	94
4.4.2	Taxonomy of microbial organisms responding to periodic waterlogging	95
4.4.2.1	Abundances of microbial phyla	95
4.4.2.2	Associations of OTUs to environmental factors	97
4.5	Discussion	99
4.6	Conclusion	102

5	Final discussion	103
5.1	Is metabarcoding applicable to long-term soil quality monitoring?	103
5.1.1	Relevance of metabarcoding for soil quality	103
5.1. 2	Temporal stability of soil bacterial and fungal communities	106
5.1.3	Sensitivity of soil bacterial and fungal communities to disturbances	110
5.1.4	Towards implementation of metabarcoding in long-term soil quality:	
	beware of pseudoreplication	111
5.2	Adaptation of metabarcoding pipelines and novel analytical approaches	113
5.2.1	Major limitations of metabarcoding	113
5 .2.2	Modifications of sequence analysis	114
5.2.2.1	Removal of sequences occurring in single samples and the robustness	
	of community structure analyses	114
5.2.2.2	Distinction of conserved and variable regions in DNA barcodes	115
5.2.3	Novel approaches	117
5.3	Conceptualization of a next-generation soil quality monitoring workflow	118
5.3.1	Reference-based analyses for routine metabarcoding of soil	
	bacterial and fungal communities	118
5.3.2	Selection criteria for reference taxa	119
5.3.3	Site-core-OTUs as reference taxa: occurrence in other	
	datasets and sensitivity	120
5.3.4	Monitoring workflow using reference-based metabarcoding	125
6	Final conclusions	1 2 8
7	Perspectives	129
7 7.1	Perspectives Temporal analyses at different scales	129 129
	•	
7.1	Temporal analyses at different scales	129
7.1 7.2	Temporal analyses at different scales Characterizing reference taxa and trait-based analyses	129
7.1 7.2	Temporal analyses at different scales Characterizing reference taxa and trait-based analyses Extend taxonomic coverage of routine soil biomonitoring and	129 130
7.1 7.2 7.3	Temporal analyses at different scales Characterizing reference taxa and trait-based analyses Extend taxonomic coverage of routine soil biomonitoring and assess biotic interactions in soil ecosystems	129 130 131
7.1 7.2 7.3 8	Temporal analyses at different scales Characterizing reference taxa and trait-based analyses Extend taxonomic coverage of routine soil biomonitoring and assess biotic interactions in soil ecosystems Acknowledgments	129 130 131 132
7.1 7.2 7.3 8 9	Temporal analyses at different scales Characterizing reference taxa and trait-based analyses Extend taxonomic coverage of routine soil biomonitoring and assess biotic interactions in soil ecosystems Acknowledgments References	129 130 131 132 133
7.1 7.2 7.3 8 9 10	Temporal analyses at different scales Characterizing reference taxa and trait-based analyses Extend taxonomic coverage of routine soil biomonitoring and assess biotic interactions in soil ecosystems Acknowledgments References Annex	129 130 131 132 133
7.1 7.2 7.3 8 9 10 10.1 10.1.1	Temporal analyses at different scales Characterizing reference taxa and trait-based analyses Extend taxonomic coverage of routine soil biomonitoring and assess biotic interactions in soil ecosystems Acknowledgments References Annex Apple blossoms from a Swiss orchard with low-input plant protection regime reveal high abundance of potential fire blight antagonists Abstract	129 130 131 132 133 160
7.1 7.2 7.3 8 9 10 10.1 10.1.1 10.1.2	Temporal analyses at different scales Characterizing reference taxa and trait-based analyses Extend taxonomic coverage of routine soil biomonitoring and assess biotic interactions in soil ecosystems Acknowledgments References Annex Apple blossoms from a Swiss orchard with low-input plant protection regime reveal high abundance of potential fire blight antagonists Abstract Introduction	129 130 131 132 133 160 160
7.1 7.2 7.3 8 9 10 10.1 10.1.1 10.1.2 10.1.3	Temporal analyses at different scales Characterizing reference taxa and trait-based analyses Extend taxonomic coverage of routine soil biomonitoring and assess biotic interactions in soil ecosystems Acknowledgments References Annex Apple blossoms from a Swiss orchard with low-input plant protection regime reveal high abundance of potential fire blight antagonists Abstract	129 130 131 132 133 160 160 161
7.1 7.2 7.3 8 9 10 10.1 10.1.1 10.1.2 10.1.3 10.1.3.1	Temporal analyses at different scales Characterizing reference taxa and trait-based analyses Extend taxonomic coverage of routine soil biomonitoring and assess biotic interactions in soil ecosystems Acknowledgments References Annex Apple blossoms from a Swiss orchard with low-input plant protection regime reveal high abundance of potential fire blight antagonists Abstract Introduction Materials and methods Field site	129 130 131 132 133 160 161 161
7.1 7.2 7.3 8 9 10 10.1 10.1.1 10.1.2 10.1.3 10.1.3.1 10.1.3.2	Temporal analyses at different scales Characterizing reference taxa and trait-based analyses Extend taxonomic coverage of routine soil biomonitoring and assess biotic interactions in soil ecosystems Acknowledgments References Annex Apple blossoms from a Swiss orchard with low-input plant protection regime reveal high abundance of potential fire blight antagonists Abstract Introduction Materials and methods Field site Blossom sample collection	129 130 131 132 133 160 161 161 163
7.1 7.2 7.3 8 9 10 10.1 10.1.1 10.1.2 10.1.3 10.1.3.1 10.1.3.2 10.1.3.3	Temporal analyses at different scales Characterizing reference taxa and trait-based analyses Extend taxonomic coverage of routine soil biomonitoring and assess biotic interactions in soil ecosystems Acknowledgments References Annex Apple blossoms from a Swiss orchard with low-input plant protection regime reveal high abundance of potential fire blight antagonists Abstract Introduction Materials and methods Field site Blossom sample collection Sample processing and DNA extraction	129 130 131 132 133 133 160 161 161 163 163 163 163 164
7.1 7.2 7.3 8 9 10 10.1 10.1.1 10.1.2 10.1.3 10.1.3.1 10.1.3.2 10.1.3.3 10.1.3.4	Temporal analyses at different scales Characterizing reference taxa and trait-based analyses Extend taxonomic coverage of routine soil biomonitoring and assess biotic interactions in soil ecosystems Acknowledgments References Annex Apple blossoms from a Swiss orchard with low-input plant protection regime reveal high abundance of potential fire blight antagonists Abstract Introduction Materials and methods Field site Blossom sample collection Sample processing and DNA extraction PCR reaction and sequencing	129 130 131 132 133 160 161 161 163 163 163
7.1 7.2 7.3 8 9 10 10.1 10.1.1 10.1.2 10.1.3 10.1.3.1 10.1.3.2 10.1.3.3 10.1.3.4 10.1.3.5	Temporal analyses at different scales Characterizing reference taxa and trait-based analyses Extend taxonomic coverage of routine soil biomonitoring and assess biotic interactions in soil ecosystems Acknowledgments References Annex Apple blossoms from a Swiss orchard with low-input plant protection regime reveal high abundance of potential fire blight antagonists Abstract Introduction Materials and methods Field site Blossom sample collection Sample processing and DNA extraction PCR reaction and sequencing Sequence processing and taxonomic identification	129 130 131 132 133 133 160 161 161 163 163 163 163 164 164
7.1 7.2 7.3 8 9 10 10.1 10.1.1 10.1.2 10.1.3 10.1.3.1 10.1.3.2 10.1.3.3 10.1.3.4 10.1.3.5 10.1.3.6	Temporal analyses at different scales Characterizing reference taxa and trait-based analyses Extend taxonomic coverage of routine soil biomonitoring and assess biotic interactions in soil ecosystems Acknowledgments References Annex Apple blossoms from a Swiss orchard with low-input plant protection regime reveal high abundance of potential fire blight antagonists Abstract Introduction Materials and methods Field site Blossom sample collection Sample processing and DNA extraction PCR reaction and sequencing Sequence processing and taxonomic identification Estimating microbial diversity and statistical analysis	129 130 131 132 133 133 160 161 161 163 163 163 163 163 164 164 165
7.1 7.2 7.3 8 9 10 10.1 10.1.1 10.1.2 10.1.3 10.1.3.1 10.1.3.2 10.1.3.3 10.1.3.4 10.1.3.5	Temporal analyses at different scales Characterizing reference taxa and trait-based analyses Extend taxonomic coverage of routine soil biomonitoring and assess biotic interactions in soil ecosystems Acknowledgments References Annex Apple blossoms from a Swiss orchard with low-input plant protection regime reveal high abundance of potential fire blight antagonists Abstract Introduction Materials and methods Field site Blossom sample collection Sample processing and DNA extraction PCR reaction and sequencing Sequence processing and taxonomic identification	129 130 131 132 133 133 160 161 161 163 163 163 163 164 164

10.1.3.9	Identification of Boskoop blossom isolates	167
10.1.4	Results	168
10.1.4.1	Apple varieties and their associated microbiota	168
10.1.4.2	Dominant bacterial and fungal taxa	170
10.1.4.3	Species classification of bOTU_01 sequences	173
10.1.4.4	Cultivation-based verification of the Boskoop blossom microbiota	175
10.1.5	Discussion	176
10.1.6	References	180
10.1.7	Supplementary information	184
10.2	Supplementary information to Chapter 2	204
10.3	Supplementary information to Chapter 3	213
10.3.1	Supplementary results: Sequence data overview	213
10.3.2	Supplementary figures and tables	213
10.4	Supplementary information to Chapter 4	226
10.5	Python script to remove sequences occurring in a single sample	232
10.6	Sequence error estimation based on conserved regions	234
10.7	Practical considerations for the implementation of metabarcoding	
	in a long-term soil quality monitoring network	236
10.7.1	Towards routine next-generation soil quality assessments	236
10.7.2	Sampling	237
10.7.2.1	Standardization of sampling procedures	237
10.7.2.2	Sample processing and avoidance of contaminations	238
10.7.3	Laboratory setting and molecular work	239
10.7.4	Sampling design and data analyses	240
10.7.5	References	243
10.8	Curriculum vitae	247