

Institut für Veterinärphysiologie
der Vetsuisse-Fakultät Universität Zürich

Direktor: Prof. Dr. med. vet. Max Gassmann

Arbeitsgruppe: Prof. Dr. med. vet. Thomas Lutz

**Role of hypothalamic astrocytes fatty acid uptake in neuronal control of energy
and glucose homeostasis**

Inaugural-Dissertation

zur Erlangung der Doktorwürde der
Vetsuisse-Fakultät Universität Zürich

vorgelegt von

Patricia Kulka

Tierärztin
von Basel, BS

genehmigt auf Antrag von

PD Dr. Christelle Le Foll, Referentin
Prof. Dr. med. vet. Wolfgang Langhans, Korreferent

2022

Table of contents

SUMMARY	5
ZUSAMMENFASSUNG	6
1 INTRODUCTION	7
1.1 GLIAL CELLS MORPHOLOGY AND FUNCTION	7
1.1.1 Astrocytes	7
1.1.2 Microglia	8
1.1.3 Effect of high fat diet on gliosis	9
1.2 OVERVIEW OF THE ARCUATE NUCLEUS (ARC) OF THE HYPOTHALAMUS	10
1.3 FATTY ACID BRAIN TRANSPORT AND METABOLISM	11
1.3.1 Uptake from bloodstream	11
1.3.2 Astrocytes	12
1.3.3 Neurons	12
1.3.4 Neuronal fatty acid sensing	12
1.3.5 Neuronal ketone bodies sensing	15
2 HYPOTHESIS AND AIMS	17
2.1 IN VITRO	17
2.2 IN VIVO	17
3 MATERIAL AND METHODS	18
3.1 MICE HUSBANDRY	18
3.2 PRIMARY HYPOTHALAMIC ASTROCYTES CULTURE	18
3.2.1 FATP4 depletion and qPCR	19
3.2.2 Ketone bodies and lactate production after fatty acid treatment of FATP4 depleted astrocytes	21
3.2.3 Visualization of fatty acid uptake using the BODIPY-PA assay	22
3.3 IN VIVO: FATP4 DEPLETION IN MICE	24
3.3.1 Animals and viral injection brain stereotaxic surgery	24
3.3.2 Weekly food intake and body weight measurements	27
3.3.3 Assessment of food intake and meal patterns	27
3.3.4 Sucrose preference test	28
3.3.5 Oral glucose tolerance test	29
3.3.6 Indirect calorimetry	29
3.3.7 Sacrifice of mice	30
3.3.8 Brain processing: Micropunches of ARC/VMN nuclei and qPCR	30
3.3.9 Body composition	31
3.3.10 Fat distribution	31
3.3.11 Plasma and liver triglycerides measurements	31

3.3.12 Measurements of plasma cytokines, leptin, insulin	32
3.3.13 Assessment of the specificity of the FATP4 depletion using Ai14 tdTomato reporter mice	32
3.3.14 Statistical Analysis	33
4 RESULTS	35
4.1 IN VITRO EFFECT OF THE FATP4 DEPLETION IN PRIMARY ASTROCYTES	35
4.1.1 FATP4 depletion	35
4.1.2 Lactate and ketone bodies production in FATP4 depleted primary hypothalamic astrocytes after FA treatment	36
4.1.3 Palmitic acid uptake of FATP4 depleted primary hypothalamic astrocytes	38
4.2 METABOLIC ASSESSMENT OF FATP4 ^{FL/FL} MICE INJECTED IN THE MEDIOBASAL HYPOTHALAMUS WITH AN AAV-GFAP-CRE	39
4.2.1 Assessment of specificity of depletion	39
4.2.2 Effect of FATP4 depletion on weekly body weight and food intake	41
4.2.3 Food intake and meal patterns	43
4.2.4 Oral glucose tolerance test	46
4.2.5 Sucrose preference test	48
4.2.6 Indirect calorimetry: measure of energy expenditure (EE) and respiratory exchange ratio (RER)	49
4.2.7 Body composition	52
4.2.8 Blood and liver TG	54
4.2.9 Measurements of plasma leptin, insulin and TNFα	55
4.2.10 VMH mRNA expression of genes involved in the control of energy homeostasis	57
5 DISCUSSION	61
5.1 FATP4 DEPLETED PRIMARY HYPOTHALAMIC MOUSE ASTROCYTES DECREASE THE UPTAKE OF FA, REDUCE KETONE BODIES PRODUCTION AND INCREASE LACTATE PRODUCTION	61
5.2 FATP4 DEPLETION INCREASES FOOD INTAKE, BODY WEIGHT AND MEAL SIZE	62
5.3 FATP4 KO MICE DEVELOP AN OBESE PHENOTYPE	62
5.4 FATP4 ^{GFAP} -KO MICE DECREASE FAT STORAGE UTILIZATION AND DECREASE EE	63
5.5 HEDONIC BEHAVIOR IS LIKELY NOT INVOLVED	64
5.6 VMH FATP4 DEPLETION INCREASES GLIOSIS	64
5.7 FA METABOLISM IN NEURONS SEEMS UNALTERED	64
5.8 SEX DIFFERENCES OF AAV EFFECT	65
5.9 ASSESSMENT OF THE DEGREE AND SPECIFICITY OF DEPLETION AND VALIDATION OF THE MOUSE MODEL	65
5.10 EFFECT OF VMH FATP4 ^{GFAP} -KO IN CHOW DIET AND HFD	66
6 REFERENCES	68
7 ACKNOWLEDGEMENTS	
8 CURRICULUM VITAE	