

# The Epigenetic Impact of Transposable Elements on Gene Expression

---

Dissertation  
zur  
Erlangung der naturwissenschaftlichen Doktorwürde  
(Dr. sc. nat.)  
vorgelegt der  
Mathematisch-naturwissenschaftlichen Fakultät  
der  
Universität Zürich  
von  
**Michele Wyler**  
von  
Zürich (ZH) und Frauenfeld (TG)

Promotionskommission  
Prof. Dr. Anne C. Roulin (Vorsitz und Leitung der Dissertation)  
PD Dr. Célia Baroux  
Prof. Dr. Ueli Grossniklaus

Zürich, 2022

# Content

|   |           |
|---|-----------|
| <b>Summary</b>  | <b>2</b>  |
| <b>Sommario</b>   | <b>4</b>  |
| <b>Introduction</b>   | <b>6</b>  |
| What are Transposable Elements? . . . . .   | 6         |
| TEs may alter gene expression and create phenotypic variation . . . . .   | 7         |
| Objectives of the work . . . . .  | 8         |
| <b>Impact of Transposable Elements on Methylation and Gene Expression across Natural Accessions of <i>Brachypodium distachyon</i></b> | <b>11</b> |
| Introduction . . . . .  | 12        |
| Results and Discussion . . . . .  | 13        |
| TEs Largely Shape Genome-Wide DNA Methylation Patterns in <i>Brachypodium</i> . . . . .   | 13        |
| Impact of TEs on Nearby Gene Expression . . . . .   | 14        |
| Genome Organization and Functional Impact of TEs . . . . .  | 17        |
| Materials and Methods . . . . .   | 19        |
| Plant Material . . . . .  | 19        |
| Whole-Genome Bisulfite Sequencing and RNA Sequencing Analysis . . . . .   | 19        |
| Methylation Spreading . . . . .   | 20        |
| Impact of TEs on Gene Expression . . . . .  | 20        |
| TIP Analysis . . . . .  | 21        |
| Supplementary Material . . . . .  | 21        |

|   |           |
|---|-----------|
| Acknowledgments . . . . .   | 21        |
| Data Availability . . . . .   | 21        |
| <b>Impact of TE-derived sRNA on the <i>trans</i>-regulation of gene</b> | <b>22</b> |
| Introduction . . . . .  | 23        |
| Results . . . . .   | 24        |
| TE annotation . . . . .   | 24        |
| Differentially expressed genes and TEs . . . . .                        | 25        |
| sRNA target site shared by genes and TEs . . . . .                      | 25        |
| Comparing Bd21 with BdTR7a . . . . .                                    | 28        |
| Discussion . . . . .  | 30        |
| Identification and annotation of TEs . . . . .                          | 30        |
| Reaction towards infection . . . . .                                    | 31        |
| TE responsiveness . . . . .   | 32        |
| Genes putatively regulated by TE-derived sRNAs . . . . .                | 33        |
| Conclusion . . . . .  | 34        |
| Material and Methods . . . . .  | 34        |
| Transposable element annotation . . . . .                               | 34        |
| Rice blast infection and plant material . . . . .                       | 35        |
| RNA processing . . . . .  | 35        |
| sRNA processing . . . . .   | 35        |
| Identification of candidate genes . . . . .                             | 36        |
| TEs characterization . . . . .  | 36        |
| Data availability . . . . .   | 37        |

|  |           |
|--|-----------|
| <b>Conclusion and Outlook</b>  | <b>38</b> |
| <b>Acknowledgements</b>  | <b>40</b> |
| <b>Curriculum Vitae</b>  | <b>42</b> |
| <b>APPENDIX</b>  | <b>44</b> |
| <b>Diversity, dynamics and effects of long terminal repeat retrotransposons in the model grass</b> |           |
| <b><i>Brachypodium distachyon</i></b>  |           |
| Introduction . . . . .   | 46        |
| Materials and Methods . . . . .  | 47        |
| Genome assemblies . . . . .  | 47        |
| Annotation of LTR retrotransposons and reverse transcriptase phylogeny . . . . .                   | 48        |
| Estimation of insertion age and family survival functions . . . . .                                | 48        |
| Genomic niche features . . . . .   | 49        |
| Statistical inference . . . . .  | 49        |
| TE copy synteny and polymorphisms . . . . .  | 50        |
| Results . . . . .  | 50        |
| Major lineages of LTR retrotransposons in <i>B. distachyon</i> . . . . .                           | 50        |
| Community composition . . . . .  | 52        |
| Age structure of the LTR-RT community and family half-lives . . . . .                              | 53        |
| TE copy synteny between Bd21 and BdTR7a . . . . .  | 55        |
| Niche characteristics of LTR retrotransposon lineages . . . . .                                    | 57        |
| TE lineages show great differences in GC content . . . . .   | 59        |
| Discussion . . . . .   | 61        |

|  |           |
|--|-----------|
| Live fast, die young: the high-turnover Angela families . . . . .  | 61        |
| Rare TEs in the genome ecosystem . . . . .   | 62        |
| TEs as a source of genetic variation: burst or business as usual? . . . . .  | 62        |
| High TE activity in centromeres involves a nonautonomous family . . . . .  | 63        |
| GC content as a distinctive feature of TE lineages . . . . .   | 63        |
| Acknowledgements . . . . .   | 65        |
| Author contributions . . . . .   | 65        |
| <b>Genetic and methylome variation in turkish <i>Brachypodium Distachyon</i> accessions differentiate two geographically distinct subpopulations</b> | <b>66</b> |
| Introduction . . . . .   | 67        |
| Results . . . . .  | 69        |
| Genomic Diversity Reveals Two Subpopulations in Turkey . . . . .   | 69        |
| Whole Genome Methylation Assessments Also Indicate Two Subpopulations in the Turkish Population of Brachypodium . . . . .                            | 72        |
| Phenomic Assessment of the Turkish Brachypodium Collection . . . . .   | 72        |
| Relating Climatic Niches to the Two Subpopulations in the Turkish Population of Brachypodium   | 75        |
| Discussion . . . . .   | 75        |
| Materials and Methods . . . . .  | 79        |
| Derivation of Turkish Lines . . . . .  | 79        |
| Whole Genome Sequencing and Single Nucleotide Polymorphism Calling . . . . .   | 79        |
| Bisulfite Sequencing and Data Analysis . . . . .   | 80        |
| Phenomic Experiments . . . . .   | 80        |
| Climate Modelling . . . . .  | 81        |
| Conclusions . . . . .  | 81        |

|  |           |
|--|-----------|
| <b>Migration without interbreeding: evolutionary history of a highly selfing Mediterranean grass inferred from whole genomes</b> | <b>82</b> |
| Introduction . . . . .   | 83        |
| Results . . . . .  | 85        |
| Sampling, sequencing, and variant calling . . . . .  | 85        |
| Dealing with artificial heterozygosity due to structural variation . . . . .   | 85        |
| Genetic structure: from major lineages . . . . .   | 86        |
| ... to regional populations . . . . .  | 87        |
| High selfing rates throughout the species' range . . . . .   | 89        |
| Pairwise genetic differences between clades and across space . . . . .   | 90        |
| Genetic diversity and demographic history of <i>B. distachyon</i> in Italy . . . . .   | 92        |
| Flowering phenology in the greenhouse and outdoors . . . . .   | 93        |
| Discussion . . . . .   | 93        |
| Extreme selfing and extended heterozygosity as a result of recent outcrossing . . . . .  | 94        |
| Range expansions have led to the sympatry of reproductively isolated lineages . . . . .  | 95        |
| Local consequences of selfing and dispersal . . . . .  | 98        |
| Materials and Methods . . . . .  | 99        |
| Sampling & sequencing . . . . .  | 99        |
| Alignment, variant calling & filtering . . . . .   | 99        |
| Heterozygosity and masking of ambiguous regions . . . . .  | 100       |
| Population structure . . . . .   | 100       |
| Estimation of divergence times . . . . .   | 101       |
| Genetic diversity and population differentiation . . . . .   | 101       |
| Demographic inference . . . . .  | 102       |

|                                      |            |
|--------------------------------------|------------|
| Flowering time experiments . . . . . | 102        |
| <b>Reference</b>                     | <b>104</b> |