

Wolpert's
Principles of Development

Seventh Edition

Cheryll Tickle
Alfonso Martinez Arias
Marysia Placzek
Lewis Wolpert

Mary Baylies | James Locke | Peter Lawrence

OXFORD
UNIVERSITY PRESS

Contents

<i>Preface</i>	vii		
<i>Learning from this book</i>	ix		
<i>About the authors</i>	xi		
<i>List of boxes</i>	xxv		
<i>Reviewer acknowledgments</i>	xxvii		
Chapter 1 History and basic concepts	1		
Introduction	1		
■ Box 1A Basic stages of <i>Xenopus laevis</i> development	3		
The origins of developmental biology	4		
1.1 Aristotle first defined the problem of epigenesis versus preformation	4		
1.2 Cell theory changed how people thought about embryonic development and heredity	5		
■ Cell Biology Box 1B The mitotic cell cycle	6		
1.3 Two main types of development were originally proposed	6		
1.4 The discovery of induction showed that one group of cells could determine the development of neighboring cells	8		
1.5 Developmental biology emerged from the coming together of genetics and embryology	8		
1.6 Development is studied through selected model organisms	10		
1.7 The first developmental genes were identified as spontaneous mutations	12		
■ Experimental Box 1C The CRISPR-Cas9 genome-editing system	15		
Summary	16		
A conceptual tool kit	17		
1.8 Development involves the emergence of pattern, change in form, cell differentiation, and growth	17		
■ Cell Biology Box 1D Germ layers	19		
1.9 Cell behavior provides the link between gene action and developmental processes	20		
1.10 Genes control cell behavior by specifying which proteins are made	21		
1.11 The expression of developmental genes is under tight control	23		
■ Experimental Box 1E Visualizing gene expression in embryos	24		
■ Cell Biology Box 1F Gene regulatory networks and cell-fate decisions	26		
1.12 Development is progressive and the fates of cells become determined at different times	27		
1.13 Inductive interactions make cells different from each other	29		
■ Cell Biology Box 1G Signal transduction and intracellular signaling pathways	31		
■ Medical Box 1H When development goes awry	32		
1.14 The response to inductive signals depends on the state of the cell	33		
1.15 Patterning can involve the interpretation of positional information	33		
1.16 Lateral inhibition can generate spacing patterns	35		
1.17 Localization of cytoplasmic determinants and asymmetric cell division can make daughter cells different from each other	36		
1.18 The embryo contains a generative rather than a descriptive program	37		
1.19 The reliability of development is achieved by various means	38		
1.20 The complexity of embryonic development is due to the complexity of cells themselves	38		
1.21 Development is a central element in evolution	39		
Summary	40		
Summary to Chapter 1	40		
Chapter 2 Development of the <i>Drosophila</i> body plan			43
Introduction			43
<i>Drosophila</i> life cycle and outline of development			44
2.1 The early <i>Drosophila</i> embryo is a multinucleate syncytium			45
2.2 Cellularization is followed by gastrulation and segmentation			46
2.3 After hatching, the <i>Drosophila</i> larva develops through several larval stages, pupates, and then undergoes metamorphosis to become an adult			48
2.4 Many developmental genes were identified in <i>Drosophila</i> through large-scale genetic screening for induced mutations			49
■ Experimental Box 2A Mutagenesis and genetic screening strategy for identifying developmental mutants in <i>Drosophila</i>			50
Summary			51
Setting up the body axes			51
2.5 The body axes are set up while the <i>Drosophila</i> embryo is still a syncytium			51
2.6 Maternal factors set up the body axes and direct the early stage of <i>Drosophila</i> development			53

2.7	Three classes of maternal genes specify the antero-posterior axis		
2.8	Bicoid protein provides an antero-posterior gradient of a morphogen		
2.9	The posterior pattern is controlled by the gradients of Nanos and Caudal proteins		
2.10	The anterior and posterior extremities of the embryo are specified by activation of a cell-surface receptor		
2.11	The dorso-ventral polarity of the embryo is specified by localization of maternal proteins in the egg vitelline envelope		
2.12	Positional information along the dorso-ventral axis is provided by the Dorsal protein		
	■ Cell Biology Box 2B The Toll signaling pathway: a multifunctional pathway		
	Summary		
	Localization of maternal determinants during oogenesis		
2.13	The antero-posterior axis of the <i>Drosophila</i> egg is specified by signals from the preceding egg chamber and by interactions of the oocyte with follicle cells		
	■ Cell Biology Box 2C The JAK-STAT signaling pathway		
2.14	Localization of maternal mRNAs to either end of the egg depends on the reorganization of the oocyte cytoskeleton		
2.15	The dorso-ventral axis of the egg is specified by movement of the oocyte nucleus followed by signaling between oocyte and follicle cells		
	Summary		
	Patterning the early embryo		
2.16	The expression of zygotic genes along the dorso-ventral axis is controlled by Dorsal protein		
2.17	The Decapentaplegic protein acts as a morphogen to pattern the dorsal region		
2.18	The antero-posterior axis is divided up into broad regions by gap gene expression		
2.19	Bicoid protein provides a positional signal for the anterior expression of zygotic <i>hunchback</i>		
2.20	The gradient in Hunchback protein activates and represses other gap genes		
	■ Experimental Box 2D Targeted gene expression and misexpression screening		
	Summary		
	Activation of the pair-rule genes and the establishment of parasegments		
2.21	Parasegments are delimited by expression of pair-rule genes in a periodic pattern		
2.22	Gap gene activity positions stripes of pair-rule gene expression		
	Summary		82
54	Segmentation genes and segment patterning		82
55	2.23 Expression of the <i>engrailed</i> gene defines the boundary of a parasegment, which is also a boundary of cell-lineage restriction		82
56	2.24 Segmentation genes stabilize parasegment boundaries		84
58	2.25 Signals generated at the parasegment boundary delimit and pattern the future segments		84
	■ Cell Biology Box 2E The Hedgehog signaling pathway		87
	■ Experimental Box 2F Mutants in denticle pattern provided clues to the logic of segment patterning		87
	Summary		89
59	Specification of segment identity		90
60	2.26 Segment identity in <i>Drosophila</i> is specified by Hox genes		90
61	2.27 Homeotic selector genes of the bithorax complex are responsible for diversification of the posterior segments		91
61	2.28 The Antennapedia complex controls specification of anterior regions		93
62	2.29 The order of Hox gene expression corresponds to the order of genes along the chromosome		93
64	2.30 The <i>Drosophila</i> head region is specified by genes other than the Hox genes		94
65	Summary		94
	Summary to Chapter 2		95
67	Chapter 3 Vertebrate development I: establishing the body plan		101
67	Introduction		102
68	Outline of vertebrate development		103
68	3.1 All vertebrate embryos pass through a broadly similar set of developmental stages		103
71	Experimental approaches to studying vertebrate development		107
73	3.2 Normal development can be visualized by various types of imaging, by detecting patterns of gene and protein expression, and by making fate maps		108
74	3.3 Disrupting the developmental process in specific ways helps to discover underlying mechanisms		109
75	■ Experimental Box 3A Fate mapping and lineage tracing reveal which cells in which parts of the early <i>Xenopus</i> embryo give rise to particular structures in the tadpole		110
76	3.4 Not all techniques are equally applicable to all vertebrates		112
77	■ Experimental Box 3B Ways of making transgenic mice		115
78	■ Experimental Box 3C Large-scale mutagenesis screens for recessive mutations in zebrafish		116
78	Xenopus development and setting up the body plan		118

3.5 The frog <i>Xenopus laevis</i> is the model amphibian for studying development of the body plan	118	Summary	157
3.6 The earliest stages in <i>Xenopus</i> development are controlled by maternal factors	122	Mouse development and setting up the body plan	157
■ Cell Biology Box 3D Intercellular protein signals in vertebrate development	124	3.22 The mouse is the major model for mammalian development	158
3.7 Cortical rotation specifies the future dorsal side of the <i>Xenopus</i> embryo	125	3.23 Blastomeres in the morula are specified as trophoctoderm or inner cell mass depending on their position	162
■ Cell Biology Box 3E The Wnt/ β -catenin signaling pathway	128	3.24 The inner cell mass becomes differentiated into primitive endoderm and cells that will form the embryo proper	164
3.8 The Nieuwkoop center, a signaling center, develops on the dorsal side of the blastula	129	3.25 The first asymmetry in mouse development appears in the blastocyst	165
3.9 Control of development is transferred from the maternal to the zygotic genome at the mid-blastula transition	130	3.26 The antero-posterior body axis of the mouse embryo is predicted by the movement of the anterior visceral endoderm	166
3.10 The axes of the blastula are transformed by gastrulation into the body axes of the tailbud embryo	130	3.27 Apart from its topology the fate map of the mouse is similar to that of the chick	168
Summary	131	Summary	168
The origins and specification of the germ layers and formation of the organizer in <i>Xenopus</i>	132	Development of the human body plan	169
3.11 Mesoderm is induced and its patterning is initiated by signals from vegetal and dorsal regions of the blastula	132	3.28 The early development of a human embryo is generally similar to that of the mouse but the topology is more like that of the chick	169
■ Cell Biology Box 3F Signaling by members of the TGF- β family of growth factors	133	■ Medical Box 3I Pre-implantation genetic diagnosis	172
■ Experimental Box 3G Timing and cell-cell interactions in mesoderm specification	135	3.29 The timing of formation and the anatomy of the human placenta differ from that in the mouse	173
3.12 Members of the TGF- β family have been identified as mesoderm inducers and induce formation of the organizer	137	3.30 Some studies of human development are possible but are subject to strict laws	175
■ Experimental Box 3H Investigating receptor function using dominant-negative proteins	138	■ Box 3J Identical twins	176
3.13 Threshold responses to gradients of signal proteins are likely to pattern the mesoderm	139	Summary	178
3.14 Regulation is still possible at the blastula stage	140	Summary to Chapter 3	178
Summary	141	Chapter 4 Vertebrate development II: completing the body plan	187
Zebrafish development and setting up the body plan	142	Introduction	187
3.15 The zebrafish embryo develops around a large yolk cell	142	The <i>Xenopus</i> Spemann organizer patterns the dorso-ventral and antero-posterior body axes	189
3.16 Genetic studies show that the axes of the zebrafish blastoderm are established by maternal determinants	145	4.1 Secreted proteins from the organizer pattern the dorso-ventral axis by antagonizing the effects of ventral signals	189
3.17 The germ layers are specified in the zebrafish blastoderm by signals similar to those in <i>Xenopus</i>	146	4.2 Secreted proteins from the organizer pattern the antero-posterior axis by antagonizing the effects of posterior signals	191
Summary	148	Summary	193
Chick development and setting up the body plan	148	The <i>Xenopus</i> Spemann organizer induces neural tissue and initiates neural patterning	193
3.18 The chick is a classic embryological model, especially from gastrulation to organogenesis stages	149	4.3 The neural plate is induced from the ectoderm through the action of BMP antagonists	194
3.19 In the chick, the main reference axis for development of the body plan is the antero-posterior axis	154	■ Cell Biology Box 4A The fibroblast growth factor signaling pathway	197
3.20 Mesodermal transcription factors are upregulated during primitive streak formation	156	4.4 Factors that pattern the antero-posterior body axis also pattern the antero-posterior axis of the nervous system	197
3.21 A fate map for the chick can be made after primitive streak formation	156		

4.5 The final <i>Xenopus</i> body plan emerges by the end of gastrulation and neurulation	199	Chapter 5 Morphogenesis: change in form in the early embryo	247
Summary	200	Introduction	247
Organizer activity in the zebrafish, chick, and mouse	200	Cell adhesion	249
4.6 The shield in zebrafish has organizing activity	200	■ Cell Biology Box 5A Cell-adhesion molecules and cell junctions	250
■ Experimental Box 4B A zebrafish gene regulatory network	203	5.1 Sorting out of dissociated cells demonstrates differences in cell adhesiveness in different tissues	251
4.7 Hensen's node in chick is the embryonic organizer	203	5.2 Cadherins can provide adhesive specificity	252
4.8 Mesoderm patterning in mouse is similar to that in other model organisms, but antero-posterior organizer functions are spatially and temporally separated	206	5.3 The activity of the cytoskeleton regulates the mechanical properties of cells and their interactions with each other	254
■ Cell Biology Box 4C Fine-tuning Nodal signaling	207	■ Cell Biology Box 5B The cytoskeleton, cell-shape change, and cell movement	254
■ Experimental Box 4D The <i>Cre/loxP</i> system: a strategy for making gene knock-outs in mice	208	5.4 Transitions of tissues from an epithelial to a mesenchymal state, and vice versa, involve changes in adhesive junctions	255
Summary	211	Summary	256
Elongation of the body and the origin of posterior tissues	211	Cleavage and formation of the blastula	257
4.9 Axial structures in chick and mouse are generated from self-renewing cell populations	212	5.5 The orientation of the mitotic spindle determines the plane of cleavage at cell division	258
■ Cell Biology Box 4E Retinoic acid: a small-molecule intercellular signal	214	5.6 The positioning of the spindle within the cell also determines whether daughter cells will be the same or different sizes	260
Summary	216	5.7 Cells become polarized in the sea urchin blastula and the mouse morula	261
Somite formation and the Hox code in antero-posterior patterning	216	5.8 Fluid accumulation as a result of tight-junction formation, ion transport, and hydraulic fracturing forms the blastocoel of the mammalian blastocyst	264
4.10 Somites are formed in a well-defined order along the antero-posterior axis	217	Summary	264
■ Cell Biology Box 4F The Notch signaling pathway	219	Gastrulation movements	266
4.11 Identity of somites along the antero-posterior axis is specified by Hox gene expression	221	5.9 Gastrulation in the sea urchin involves an epithelial-to-mesenchymal transition, cell migration, and invagination of the blastula wall	266
■ Box 4G The Hox genes	223	5.10 Mesoderm invagination in <i>Drosophila</i> is due to changes in cell shape controlled by genes that pattern the dorso-ventral axis	270
4.12 Deletion or overexpression of Hox genes causes changes in axial patterning	226	5.11 Germ-band extension in <i>Drosophila</i> involves myosin-dependent remodeling of cell junctions and cell intercalation	271
4.13 Hox gene expression is activated in an anterior to posterior pattern	228	5.12 Planar cell polarity confers directionality on a tissue	273
4.14 The fate of somite cells is determined by signals from the adjacent tissues	229	5.13 Gastrulation in amphibians and fish involves involution, epiboly, and convergent extension	276
Summary	231	■ Box 5C Convergent extension	278
The origin, behavior, and patterning of neural crest	232	5.14 <i>Xenopus</i> notochord development illustrates the dependence of medio-lateral cell elongation and cell intercalation on a pre-existing antero-posterior polarity	281
4.15 Neural crest cells arise from neural plate border cells and migrate to give rise to a wide range of different cell types	232	5.15 Gastrulation in chick and mouse embryos involves the separation of individual cells from the epiblast and their ingression through the primitive streak	282
4.16 Neural crest cells migrate from the hindbrain to populate the branchial arches	235	5.16 Differences in gastrulation between vertebrate species result from the global control of conserved mechanical features of cell populations	286
Summary	236		
Determination of left-right asymmetry	236		
4.17 The bilateral symmetry of the early embryo is broken to produce left-right asymmetry of internal organs	237		
Summary	240		
Summary to Chapter 4	240		

Summary	287	6.6 Muscle differentiation is determined by the MyoD family of transcription factors	334
Neural tube formation	288	6.7 The differentiation of muscle cells involves withdrawal from the cell cycle, but is reversible	337
5.17 Neural tube formation is driven by changes in cell shape and convergent extension	289	6.8 All blood cells are derived from multipotent stem cells	338
■ Cell Biology Box 5D Eph receptors and their ephrin ligands	292	6.9 Intrinsic and extrinsic changes control differentiation of the hematopoietic lineages	341
■ Medical Box 5E Neural tube defects	293	6.10 Developmentally regulated globin gene expression is controlled by regulatory sequences far distant from the coding regions	343
Summary	294	■ Medical Box 6D Towards a therapy for β -globin gene defects	346
Formation of tubes and branching morphogenesis	294	6.11 The epidermis of adult mammalian skin is continually being replaced by derivatives of stem cells	346
5.18 The <i>Drosophila</i> tracheal system is a prime example of branching morphogenesis	295	■ Medical Box 6E Treatment of junctional epidermolysis bullosa with skin grown from genetically corrected stem cells	349
5.19 The vertebrate vascular system develops by vasculogenesis followed by sprouting angiogenesis	296	6.12 Stem cells use different modes of division to maintain tissues	350
5.20 New blood vessels are formed from pre-existing vessels in angiogenesis	297	6.13 The lining of the gut is another epithelial tissue that requires continuous renewal	351
Summary	298	6.14 Skeletal muscle and neural cells can be renewed from stem cells in adults	353
Cell migration	298	Summary	355
5.21 Embryonic neural crest gives rise to a wide range of different cell types	298	The plasticity of the differentiated state	355
5.22 Neural crest migration is controlled by environmental cues	299	6.15 Patterns of gene activity in differentiated cells can be changed by cell fusion	356
5.23 The formation of the lateral-line primordium in fishes is an example of collective cell migration	301	6.16 The differentiated state of a cell can change by transdifferentiation	357
5.24 Body wall closure occurs in <i>Drosophila</i> , <i>Caenorhabditis</i> , mammals, and chick	302	6.17 Nuclei of differentiated cells can support development	359
Summary	304	Summary	361
Summary to Chapter 5	304	Summary to Chapter 6	361
Chapter 6 Cell differentiation and stem cells	311	Chapter 7 Embryonic stem cells, embryo models, and regenerative medicine	367
Introduction	312	Introduction	368
■ Box 6A Conrad Waddington's 'epigenetic landscape' provides a framework for thinking about how cells differentiate	313	Embryonic stem cells and induced pluripotent stem cells	368
The control of gene expression	315	7.1 Embryonic stem cells are pluripotent cells derived from mammalian blastocysts and can contribute to normal development <i>in vivo</i>	368
6.1 Control of transcription involves both general and tissue-specific transcriptional regulators	316	7.2 Human ES cells differ from mouse ES cells in several of their properties	370
6.2 Gene expression is also controlled by epigenetic chemical modifications to DNA and histone proteins that alter chromatin structure	319	7.3 Adult differentiated cells can be reprogrammed to form pluripotent stem cells	372
■ Cell Biology Box 6B Epigenetic control of gene expression by chromatin modification	323	■ Experimental Box 7A Induced pluripotent stem cells	373
6.3 Patterns of gene activity can be inherited by persistence of gene-regulatory proteins or by maintenance of chromatin modifications	326	7.4 Pluripotent stem cells are used as models of cell differentiation	375
6.4 Changes in patterns of gene activity during differentiation can be triggered by extracellular signals	327	Summary	377
Summary	328	Embryo models	377
Cell differentiation and stem cells	329	7.5 ES cells can be used to provide models of early development	377
6.5 The early stages of cell differentiation during gastrulation can be detected by single-cell transcriptional analysis	329		
■ Experimental Box 6C Single-cell analysis of cell-fate decisions	330		

■ Box 7B Self-organization and self-assembly	379	8.13 Mammalian sexual phenotype is regulated by gonadal hormones	426
7.6 Pluripotent stem cells can model the process of gastrulation	381	8.14 The primary sex-determining factor in <i>Drosophila</i> is the number of X chromosomes and is cell autonomous	427
■ Box 7C Somitogenesis in Matrigelled gastruloids	383	8.15 Somatic sexual development in <i>Caenorhabditis</i> is determined by the number of X chromosomes	429
Summary	387	8.16 Determination of germ cell sex depends on both genetic constitution and intercellular signals	430
Medical applications of stem cells	387	8.17 Various strategies are used for dosage compensation of X-linked genes	433
7.7 Stem cells could be a key to regenerative medicine	388	Summary	435
7.8 Various approaches could be used to generate differentiated cells for cell-replacement therapies	389	Summary to Chapter 8	436
7.9 ES cells can be used to generate organoids and tissues	391	Chapter 9 Organogenesis	441
■ Experimental Box 7D Intestinal organoids can be produced from adult stem cells or ES cells	392	Introduction	441
7.10 Stem cells might be used to grow human organs in other animals for transplantation	394	The insect wing and leg	442
Summary	395	9.1 Imaginal discs arise from the ectoderm in the early <i>Drosophila</i> embryo	442
Summary to Chapter 7	396	9.2 Imaginal discs arise across parasegment boundaries and are patterned by signaling at compartment boundaries	444
Chapter 8 Germ cells, fertilization, and sex determination	401	9.3 The adult wing emerges at metamorphosis after folding and evagination of the wing imaginal disc	445
Introduction	401	9.4 A signaling center at the boundary between anterior and posterior compartments patterns the <i>Drosophila</i> wing disc along the antero-posterior axis	446
The development of germ cells	402	■ Box 9A Positional information and morphogen gradients	449
8.1 Germ cell fate is specified in some embryos by a distinct germplasm in the egg	403	9.5 A signaling center at the boundary between dorsal and ventral compartments patterns the <i>Drosophila</i> wing along the dorso-ventral axis	451
8.2 In mammals germ cells are induced by cell-cell signaling during development	406	9.6 Vestigial is a key regulator of wing development that acts to specify wing identity and control wing growth	451
8.3 Germ cells migrate from their site of origin to the gonad	407	9.7 The <i>Drosophila</i> wing disc is also patterned along the proximo-distal axis	453
8.4 Germ cells are guided to their destination by chemical signals	408	9.8 The leg disc is patterned in a similar manner to the wing disc, except for the proximo-distal axis	454
8.5 Germ cell differentiation involves a halving of chromosome number by meiosis	408	9.9 Different imaginal discs can have the same positional values	456
■ Box 8A Polar bodies	410	Summary	456
8.6 Oocyte development can involve gene amplification and contributions from other cells	412	The vertebrate limb	458
8.7 Factors in the cytoplasm maintain the totipotency of the egg	413	9.10 The chick wing is a model for limb development	458
8.8 In mammals some genes controlling embryonic growth are 'imprinted'	413	9.11 Genes expressed in the lateral plate mesoderm induce limb development and specify limb polarity and identity	461
Summary	416	9.12 The apical ectodermal ridge is required for limb bud outgrowth and the formation of structures along the proximo-distal axis of the limb	463
Fertilization	417	9.13 Formation and outgrowth of the limb bud involves oriented cell behavior	464
8.9 Fertilization involves cell-surface interactions between egg and sperm	418	9.14 Positional values along the proximo-distal axis of the limb are specified by a combination of graded signaling and a timing mechanism	466
8.10 Changes in the egg plasma membrane and enveloping layers at fertilization block polyspermy	420		
8.11 Sperm-egg fusion causes a calcium wave that results in egg activation	422		
Summary	423		
Determination of the sexual phenotype	424		
8.12 The primary sex-determining gene in mammals is on the Y chromosome	424		

9.15 The polarizing region specifies position along the limb's antero-posterior axis	469	Summary	503
9.16 Sonic hedgehog is a good candidate for the polarizing region morphogen	471	The vertebrate eye	503
■ Medical Box 9B Too many fingers: mutations that affect antero-posterior patterning can cause polydactyly	472	9.33 Development of the vertebrate eye involves interactions between an extension of the forebrain and the ectoderm of the head	504
■ Cell Biology Box 9C Sonic hedgehog signaling and the primary cilium	473	9.34 Eye-specifying transcription factors are conserved	507
9.17 The dorso-ventral pattern of the limb is controlled by the ectoderm	475	Summary	508
■ Medical Box 9D External agents and the consequences of damage to the developing embryo	476	Summary to Chapter 9	509
9.18 Development of the limb is integrated by interactions between signaling centers	478	Chapter 10 Development of the nervous system	517
9.19 Hox genes control regional identity in the limb	479	Introduction	517
9.20 Self-organization might be involved in the development of the limb	482	Specification of cell identity in the nervous system	519
9.21 Limb muscle is patterned by the connective tissue	483	10.1 The vertebrate brain is organized into three main regions	520
■ Box 9E Reaction-diffusion mechanisms	484	10.2 The vertebrate brain is regionalized by local signaling centers	521
9.22 The initial development of cartilage, muscles, and tendons is autonomous	485	■ Medical Box 10A Alcohol exposure and brain development	522
9.23 Joint formation involves secreted signals and mechanical stimuli	486	10.3 Parts of the nervous system develop through a process of self-organization	523
9.24 Separation of the digits is the result of programmed cell death	487	10.4 Specialized boundaries formed in the developing brain delimit areas of cell-lineage restriction	524
Summary	487	10.5 Evolutionarily conserved transcription factors provide positional information along the antero-posterior axis of the developing brain	526
Teeth	489	10.6 Opposing morphogen gradients pattern the spinal cord along the dorso-ventral axis	526
9.25 Tooth development involves epithelial-mesenchymal interactions and a homeobox gene code specifies tooth identity	489	10.7 Stable progenitor domains in the ventral spinal cord are established over time	528
Summary	492	■ Medical Box 10B Directed differentiation of induced pluripotent stem cells towards functional neuronal types	530
Branching organs: the vertebrate lung and the mammalian mammary gland	492	10.8 Hox genes specify motor neuron subtypes in the spinal cord	530
9.26 The vertebrate lung develops from buds of endoderm	492	10.9 Temporal mechanisms contribute to the generation of neural cell diversity	531
■ Medical Box 9F What developmental biology can tell us about cancer	493	Summary	532
9.27 Morphogenesis of the lung involves three modes of branching	495	The formation and migration of neurons	532
9.28 The mammary glands develop from buds of ectoderm	496	10.10 Neurons in <i>Drosophila</i> arise from proneural clusters	532
9.29 The branching pattern of the mammary gland epithelium is determined by the mesenchyme	498	10.11 The development of neurons in <i>Drosophila</i> involves asymmetric cell divisions and timed changes in gene expression	536
Summary	499	10.12 In the vertebrate neural tube, neurons are formed in the proliferative zone and migrate outwards	537
The vertebrate heart	499	■ Cell Biology Box 10C Glial cells in the nervous system	538
9.30 The development of the vertebrate heart involves morphogenesis and patterning of a mesodermal tube	499	10.13 Specialized features in the cortex support high levels of neurogenesis	539
9.31 Several different cell populations contribute to making a heart	500	10.14 Inhibitory interneurons undergo tangential migration into the cortex	540
9.32 Key transcription factors specify development of the heart and cardiac differentiation	502	■ Experimental Box 10D Timing the birth of cortical neurons	541
		10.15 Delta-Notch signaling and lateral inhibition govern vertebrate neurogenesis	541

Summary	544	11.7 Overall body size depends on the extent and the duration of growth	582
Axon navigation and mapping	544	11.8 Hormones and growth factors coordinate the growth of different tissues and organs and contribute to determining overall body size	584
10.16 The growth cone's response to <i>guidance cues</i> controls the path taken by a growing axon	545	11.9 Elongation of the long bones illustrates how growth can be determined by a combination of an intrinsic growth program and extracellular factors	585
■ Box 10E Putting it together: the development of a simple neuronal circuit	547	■ Box 11B Digit length ratio is determined in the embryo	586
10.17 Axon guidance is a dynamic process	549	11.10 The amount of nourishment an embryo receives can have profound effects in later life	589
10.18 Axons that cross the ventral midline provide a model system for axon guidance	549	Summary	590
10.19 Motor neuron innervation of the chick limb is controlled by patterns of gene expression	551	Molting and metamorphosis	590
10.20 The retino-tectal system is an example of a topographic map	552	11.11 Arthropods must molt in order to grow	591
Summary	555	11.12 Insect body size is determined by the rate and duration of larval growth	591
Synapse formation and map refinement	556	11.13 Metamorphosis in amphibians is under hormonal control	594
10.21 Synapse formation involves reciprocal interactions	556	Summary	595
10.22 Many neurons die through apoptosis during normal development	559	Regeneration	596
■ Medical Box 10F Autism: a developmental condition that involves synapse dysfunction	560	11.14 Regeneration involves repatterning of existing tissues and/or growth of new tissues	597
10.23 Neuronal cell death and survival involve both intrinsic and extrinsic factors	561	11.15 Regeneration in <i>Hydra</i> involves repatterning of existing tissues	597
10.24 Neural activity refines synapses and topographic maps	562	■ Box 11C Planarian regeneration	598
10.25 The mammalian brain has a high degree of plasticity, even in adults	564	11.16 Amphibian limb regeneration involves cell dedifferentiation and new growth	601
Summary	564	11.17 Limb regeneration in amphibians depends on the presence of nerves	605
Summary to Chapter 10	565	11.18 The limb blastema gives rise to structures with positional values distal to the site of amputation	606
 		11.19 Retinoic acid can change proximo-distal positional values in regenerating limbs	608
Chapter 11 Growth, post-embryonic development, and regeneration	571	11.20 Mammals can regenerate the tips of the digits	610
Introduction	571	■ Box 11D Why can't we regenerate our limbs?	611
Growth	572	11.21 Insect limbs intercalate positional values by both proximo-distal and circumferential growth	612
11.1 Tissues can grow by cell proliferation, cell enlargement, or accretion	573	11.22 Heart regeneration in zebrafish involves the resumption of cell division by cardiomyocytes	614
11.2 Cell proliferation is controlled by regulating entry into the cell cycle	574	Summary	616
11.3 Cell division in early development can be controlled by an intrinsic developmental program	575	Aging and senescence	617
11.4 Extrinsic signals coordinate cell division, cell growth, and cell death in the developing <i>Drosophila</i> wing	576	11.23 Genes can alter the timing of senescence	618
■ Cell Biology Box 11A The core Hippo signaling pathways in <i>Drosophila</i> and mammals	577	11.24 Cell senescence blocks cell proliferation	619
11.5 Cancer can result from mutations in genes that control cell proliferation	578	11.25 The ability of adult salamanders to regenerate tissues does not diminish with age	621
11.6 The relative contributions of intrinsic and extrinsic factors in controlling size differ in different mammalian organs	580	Summary	621
		Summary to Chapter 11	622

Chapter 12 Plant development	629		
Introduction	629		
Introduction to <i>Arabidopsis thaliana</i>	631		
12.1 The model plant <i>Arabidopsis thaliana</i> has a short life cycle and a small diploid genome	631		
Embryonic development	632		
12.2 Plant embryos develop through several distinct stages	632		
■ Box 12A Angiosperm embryogenesis	633		
12.3 Gradients of the signal molecule auxin establish the embryonic apical-basal axis	636		
12.4 Plant somatic cells can give rise to embryos and seedlings	637		
12.5 Cell enlargement is a major process in plant growth and morphogenesis	639		
■ Experimental Box 12B Plant transformation and genome editing	640		
Summary	641		
Meristems	642		
12.6 A meristem contains a small central zone of self-renewing stem cells	642		
12.7 The size of the stem-cell area in the meristem is kept constant by a feedback loop to the organizing center	643		
12.8 The fate of cells from different meristem layers can be changed by changing their position	644		
12.9 A fate map for the embryonic shoot meristem can be deduced using clonal analysis	645		
12.10 Meristem development is dependent on signals from other parts of the plant	646		
12.11 Gene activity patterns the proximo-distal and adaxial-abaxial axes of leaves developing from the shoot meristem	648		
12.12 The regular arrangement of leaves on a stem is generated by regulated auxin transport	650		
12.13 The outgrowth of secondary shoots is under hormonal control	651		
12.14 Root tissues are produced from <i>Arabidopsis</i> root apical meristems by a highly stereotyped pattern of cell divisions	653		
12.15 Root hairs are specified by a combination of positional information and lateral inhibition	656		
Summary	656		
Flower development and control of flowering	657		
12.16 Homeotic genes control organ identity in the flower	658		
■ Box 12C The basic model for the patterning of the <i>Arabidopsis</i> flower	660		
12.17 The <i>Antirrhinum</i> flower is patterned dorso-ventrally as well as radially	662		
12.18 The internal meristem layer can specify floral meristem patterning	662		
12.19 The transition of a shoot meristem to a floral meristem is under environmental and genetic control	663		
■ Box 12D The circadian clock coordinates plant growth and development	664		
12.20 Vernalization reflects the epigenetic memory of winter	665		
12.21 Most flowering plants are hermaphrodites, but some produce unisexual flowers	667		
Summary	668		
Summary to Chapter 12	668		
Chapter 13 Evolution and development	673		
Introduction	673		
■ Box 13A Darwin's finches	676		
The evolution of development	677		
13.1 Multicellular organisms evolved from single-celled ancestors	677		
13.2 Genomic evidence is throwing light on the evolution of animals	679		
■ Box 13B The metazoan family tree	680		
13.3 How gastrulation evolved is not known	681		
13.4 More general characteristics of the body plan develop earlier than specializations	682		
13.5 Embryonic structures have acquired new functions during evolution	683		
13.6 Evolution of different types of eyes in different animal groups is an example of parallel evolution	685		
Summary	686		
The diversification of body plans	687		
13.7 Hox gene complexes have evolved through gene duplication	687		
13.8 Differences in Hox gene expression determine the variation in position and type of paired appendages in arthropods	689		
13.9 Changes in Hox gene expression and their target genes contributed to the evolution of the vertebrate axial skeleton	693		
13.10 The basic body plan of arthropods and vertebrates is similar but the dorso-ventral axis is inverted	694		
Summary	695		
Evolutionary modification of specialized characters	696		
13.11 Limbs evolved from fins	696		
13.12 Studies of zebrafish fin development give insights into the origins of tetrapod limbs	697		
■ Experimental Box 13C Transgenic tests of the function of Hox digit enhancers	699		
13.13 Limbs have evolved to fulfill different specialized functions	701		
13.14 The evolution of limblessness in snakes is associated with changes in axial gene expression and mutations in a limb-specific enhancer	702		

Contents

13.15 Butterfly wing markings have evolved by redeployment of genes previously used for other functions	703	■ Box 13F Origins of morphological diversity in dogs	712
■ Experimental Box 13D Using CRISPR-Cas9 genome-editing techniques to test the functioning of the snake ZRS	704	13.18 Evolution can be due to changes in the timing of developmental events	713
13.16 Adaptive evolution within the same species provides a way of studying the developmental basis for evolutionary change	707	13.19 The evolution of life histories has implications for development	716
■ Experimental Box 13E Pelvic reduction in sticklebacks is based on mutations in a gene control region	709	■ Box 13G Long- and short-germ development in insects	717
Summary	710	Summary	719
Changes in the timing of developmental processes	710	Summary to Chapter 13	720
13.17 Changes in growth rates can modify the basic body plan	710	<i>Glossary</i>	727
		<i>Index</i>	751

List of boxes

Special Interest Boxes

Box 1A Basic stages of <i>Xenopus laevis</i> development	3
Box 3J Identical twins	176
Box 4G The Hox genes	223
Box 5C Convergent extension	278
Box 6A Conrad Waddington's 'epigenetic landscape' provides a framework for thinking about how cells differentiate	313
Box 7B Self-organization and self-assembly	379
Box 7C Somitogenesis in Matrigelled gastruloids	383
Box 8A Polar bodies	410
Box 9A Positional information and morphogen gradients	449
Box 9E Reaction-diffusion mechanisms	484
Box 10E Putting it together: the development of a simple neuronal circuit	547
Box 11B Digit length ratio is determined in the embryo	586
Box 11C Planarian regeneration	598
Box 11D Why can't we regenerate our limbs?	611
Box 12A Angiosperm embryogenesis	633
Box 12C The basic model for the patterning of the <i>Arabidopsis</i> flower	660
Box 12D The circadian clock coordinates plant growth and development	664
Box 13A Darwin's finches	676
Box 13B The metazoan family tree	680
Box 13F Origins of morphological diversity in dogs	712
Box 13G Long- and short-germ development in insects	717

Cell Biology Boxes

Box 1B The mitotic cell cycle	6
Box 1D Germ layers	19
Box 1F Gene regulatory networks and cell-fate decisions	26
Box 1G Signal transduction and intracellular signaling pathways	31
Box 2B The Toll signaling pathway: a multifunctional pathway	60
Box 2C The JAK-STAT signaling pathway	64
Box 2E The Hedgehog signaling pathway	87
Box 3D Intercellular protein signals in vertebrate development	124
Box 3E The Wnt/ β -catenin signaling pathway	128
Box 3F Signaling by members of the TGF- β family of growth factors	133
Box 4A The fibroblast growth factor signaling pathway	197
Box 4C Fine-tuning Nodal signaling	207
Box 4E Retinoic acid: a small-molecule intercellular signal	214

Box 4F The Notch signaling pathway	219
Box 5A Cell-adhesion molecules and cell junctions	250
Box 5B The cytoskeleton, cell-shape change, and cell movement	254
Box 5D Eph receptors and their ephrin ligands	292
Box 6B Epigenetic control of gene expression by chromatin modification	323
Box 9C Sonic hedgehog signaling and the primary cilium	473
Box 10C Glial cells in the nervous system	538
Box 11A The core Hippo signaling pathways in <i>Drosophila</i> and mammals	577

Experimental Boxes

Box 1C The CRISPR-Cas9 genome-editing system	15
Box 1E Visualizing gene expression in embryos	24
Box 2A Mutagenesis and genetic screening strategy for identifying developmental mutants in <i>Drosophila</i>	50
Box 2D Targeted gene expression and misexpression screening	76
Box 2F Mutants in denticle pattern provided clues to the logic of segment patterning	87
Box 3A Fate mapping and lineage tracing reveal which cells in which parts of the early <i>Xenopus</i> embryo give rise to particular structures in the tadpole	110
Box 3B Ways of making transgenic mice	115
Box 3C Large-scale mutagenesis screens for recessive mutations in zebrafish	116
Box 3G Timing and cell-cell interactions in mesoderm specification	135
Box 3H Investigating receptor function using dominant-negative proteins	138
Box 4B A zebrafish gene regulatory network	203
Box 4D The Cre/ <i>loxP</i> system: a strategy for making gene knock-outs in mice	208
Box 6C Single-cell analysis of cell-fate decisions	330
Box 7A Induced pluripotent stem cells	373
Box 7D Intestinal organoids can be produced from adult stem cells or ES cells	392
Box 10D Timing the birth of cortical neurons	541
Box 12B Plant transformation and genome editing	640
Box 13C Transgenic tests of the function of Hox digit enhancers	699
Box 13D Using CRISPR-Cas9 genome-editing techniques to test the functioning of the snake ZRS	704
Box 13E Pelvic reduction in sticklebacks is based on mutations in a gene control region	709

List of boxes

Medical Boxes

Box 1H When development goes awry	32	Box 9D External agents and the consequences of damage to the developing embryo	476
Box 3I Pre-implantation genetic diagnosis	172	Box 9F What developmental biology can tell us about cancer	493
Box 5E Neural tube defects	293	Box 10A Alcohol exposure and brain development	522
Box 6D Towards a therapy for β -globin gene defects	346	Box 10B Directed differentiation of induced pluripotent stem cells towards functional neuronal types	530
Box 6E Treatment of junctional epidermolysis bullosa with skin grown from genetically corrected stem cells	349	Box 10F Autism: a developmental condition that involves synapse dysfunction	560
Box 9B Too many fingers: mutations that affect antero-posterior patterning can cause polydactyly	472		